Amendments to the Claims

This listing of claims will replace all prior versions and listings of claims in the application:

1. (currently amended) A compound of Formula (IA)

$$R^2$$
 R^3
 CF_3
 R^5
 $CIA)$

wherein:

R¹ is <u>phenylan aryl, heteroaryl, or C₅-C₁₅-cycloalkyl group, each</u> optionally independently substituted with one to three substituent groups,

wherein each substituent group of R^1 is independently C_1 - C_5 alkyl, C_2 - C_5 alkenyl, C_2 - C_5 alkynyl, C_3 - C_8 cycloalkyl, heterocyclyl, aryl, heteroaryl, C_1 - C_5 alkoxy, C_2 - C_5 alkenyloxy, C_2 - C_5 alkynyloxy, aryloxy, acyl, C_1 - C_5 alkoxycarbonyl, C_1 - C_5 alkanoyloxy, C_1 - C_5 alkanoyloxy, C_1 - C_5 alkanoyloxy, C_1 - C_5 alkanoyloxy, C_1 - C_5 alkylaminocarbonyl, aminocarbonyloxy, C_1 - C_5 alkylaminocarbonyloxy, C_1 - C_5 dialkylaminocarbonyloxy, C_3 - C_5 cycloalkylaminocarbonyloxy, C_1 - C_5 alkoxycarbonylamino, C_1 - C_5 alkylaminosulfonyl, C_1 - C_5 alkylaminosulfonyl, halogen, hydroxy, oxo, carboxy, cyano, trifluoromethyl, trifluoromethoxy, nitro, or amino wherein the nitrogen atom is optionally independently mono- or di-substituted by C_1 - C_5 alkyl or aryl; or ureido wherein either nitrogen atom is optionally independently substituted with C_1 - C_5 alkyl or C_3 - C_5 cycloalkyl; or C_1 - C_5 alkylthio wherein the sulfur atom is optionally oxidized to a sulfoxide or sulfone,

wherein each substituent group of R^1 is optionally independently substituted with one to four substituent groups selected from aryl or heterocyclyl wherein the heterocycle is optionally independently substituted with hydroxyl, halogen, methyl, or dialkyl amino; C_1 - C_5 alkoxycarbonyl, methyl, methoxy, halogen, hydroxy, oxo, cyano, or amino wherein the nitrogen atom is optionally independently mono- or di-substituted by C_1 - C_5 alkyl or C_1 - C_3 dialkylamines or aryl; or ureido wherein

either nitrogen atom is optionally independently substituted with C_1 - C_5 alkyl; aminosulfonyl, or oxime wherein the oxygen atom is optionally substituted by C_1 - C_5 alkyl or benzyl;

- R² and R³ are each independently hydrogen, C₁-C₅ alkyl, or C₅-C₁₅ arylalkyl group, or R² and R³ together with the carbon atom they are commonly attached to form a C₃-C₈ spiro cycloalkyl ring, or
- R¹ and R² when taken together are a chromanyl or dihydrobenzofuranyl optionally substituted with C1-C5 alkyl, C2-C5 alkenyl, C2-C5 alkynyl, C3-C8 cycloalkyl, heterocyclyl, aryl, heteroaryl, C₁-C₅ alkoxy, C₂-C₅ alkenyloxy, C₂-C₅ alkynyloxy, aryloxy, acyl, C₁-C₅ alkanoyloxy, aminocarbonyl, alkylaminocarbonyl, alkoxycarbonyl, C_1-C_5 dialkylaminocarbonyl, aminocarbonyloxy, C1-C5 alkylaminocarbonyloxy, C1-C5 dialkylaminocarbonyloxy, C1-C5 alkanoylamino, C1-C5 alkoxycarbonylamino, C1-C5 C_1-C_5 C_1 - C_5 alkylaminosulfonyl, alkylsulfonylamino, aminosulfonyl, dialkylaminosulfonyl, halogen, hydroxy, carboxy, oxo, cyano, trifluoromethyl, trifluoromethoxy, trifluoromethylthio, nitro, or amino wherein the nitrogen atom is optionally independently mono- or di-substituted by C1-C5 alkyl; or ureido wherein either nitrogen atom is optionally independently substituted with C1-C5 alkyl; or C1-C5 alkylthio wherein the sulfur atom is optionally oxidized to a sulfoxide or sulfone;
- R⁴ is carbonyl or methylene optionally independently substituted with one to two substituent groups selected from C₁-C₃ alkyl, hydroxy, and halogen;
- R⁵ is a pyrrolidine, morpholine, thiomorpholine, piperazine, piperidine, 1H-pyridin-4-one, 1H-pyridin-2-one, 1H-pyridin-4-ylideneamine, 1H-quinolin-4-ylideneamine, pyran, 2,5-diazabicyclo[2.2.1]heptane, 2,3,4,5-1,4-diazepane, tetrahydropyran, tetrahydrobenzo[b][1,4]diazepine, dihydroquinoline, tetrahydroquinoline, 5,6,7,8tetrahydro-1H-quinolin-4-one, tetrahydroisoquinoline, decahydroisoquinoline, 2,3dihydro-1H-isoindole, 2,3-dihydro-1H-indole, chroman, 1,2,3,4-tetrahydroquinoxaline, 1,2-dihydroindazol-3-one, 3,4-dihydro-2*H*-benzo[1,4]oxazine, 4*H*-benzo[1,4]thiazine, 1,2-dihydrobenzo[d][1,3]oxazin-4-one, 3,4-3.4-dihydro-2*H*-benzo[1,4]thiazine, dihydrobenzo[1,4]oxazin-4-one, 3H-quinazolin-4-one, 3,4-dihydro-1H-quinoxalin-2one, 1H-cinnolin-4-one, 1H-quinazolin-4-one, 1H-[1,5]naphthyridin-4-one, 5,6,7,8-

tetrahydro-1H-[1,5]naphthyridin-4-one, 2,3-dihydro-1H-[1,5]naphthyridin-4-one, 1,2-dihydropyrido[3,2-d][1,3]oxazin-4-one, pyrrolo[3,4-c]pyridine-1,3-dione, 1,2-dihydropyrrolo[3,4-c]pyridin-3-one, or tetrahydro[b][1,4]diazepinone, group, each optionally independently substituted with one to three substituent groups,

wherein each substituent group of R^5 is independently C_1 - C_5 alkyl, C_2 - C_5 alkenyl, C_3 - C_8 cycloalkyl, heterocyclyl, aryl, heteroaryl, C_1 - C_5 alkoxy, C_2 - C_5 alkenyloxy, C_2 - C_5 alkynyloxy, aryloxy, acyl, C_1 - C_5 alkoxycarbonyl, C_1 - C_5 alkoxycarbonyl, C_1 - C_5 alkoxycarbonyl, aminocarbonyloxy, C_1 - C_5 alkylaminocarbonyloxy, C_1 - C_5 alkylaminocarbonyloxy, C_1 - C_5 alkanoylamino, C_1 - C_5 alkoxycarbonylamino, C_1 - C_5 alkylaminosulfonyl, C_1 - C_5 alkylaminosulfonyl, halogen, hydroxy, carboxy, oxo, cyano, trifluoromethyl, trifluoromethoxy, trifluoromethylthio, nitro, or amino wherein the nitrogen atom is optionally independently mono- or di-substituted by C_1 - C_5 alkyl; or ureido wherein either nitrogen atom is optionally independently substituted with C_1 - C_5 alkyl; or C_1 - C_5 alkylthio wherein the sulfur atom is optionally oxidized to a sulfoxide or sulfone,

wherein each substituent group of R^5 is optionally independently substituted with one to three substituent groups selected from C_1 - C_3 alkyl, C_1 - C_3 alkoxy, C_1 - C_3 alkoxycarbonyl, acyl, aryl, benzyl, heteroaryl, heterocyclyl, halogen, hydroxy, oxo, cyano, amino wherein the nitrogen atom is optionally independently mono- or disubstituted by C_1 - C_5 alkyl; or ureido wherein either nitrogen atom is optionally independently substituted with C_1 - C_5 alkyl;, or trifluoromethyl; and

X is a hydroxy or amino wherein the nitrogen atom is optionally independently mono- or di-substituted by C₁-C₅ alkyl,

or a tautomer, prodrug, solvate, or salt thereof.

2. (currently amended) The compound of Formula (IA) according to claim 1, wherein:

 $R^{4} \quad is \quad phenyl, \quad dihydrobenzofuranyl, \quad benzofuranyl, \quad dihydroindolyl, \quad indolyl, \\ \quad benzo[1,3] dioxole, \quad dihydrobenzothienyl, \quad benzothienyl, \quad benzoxazole, \quad benzisoxazole, \\$

benzpyrazole, benzimidazole, thienyl, quinolinyl, tetrahydroquinolinone, tetrahydronaphthyridinone, dihydrochromene, pyridinyl, pyrimidinyl, or pyrazinyl, each optionally independently substituted with one to three substituent groups,

wherein each substituent group of R^1 is independently C_1 - C_3 alkyl, C_2 - C_3 alkenyl, C_1 - C_3 alkoxy, C_2 - C_3 alkenyloxy, C_1 - C_3 alkanoyl, C_1 - C_3 alkoxycarbonyl, C_1 - C_3 alkanoyloxy, halogen, hydroxy, acyl, oxo, carboxy, cyano, trifluoromethyl, nitro, or C_1 - C_3 alkylthio wherein the sulfur atom is optionally oxidized to a sulfoxide or sulfone,

wherein each substituent group of R¹ is optionally independently substituted with a substituent group selected from methyl, methoxy, halogen, hydroxy, oxo, cyano, or amino;

R² and R³ are each independently hydrogen, C₁-C₃ alkyl, benzyl, or phenethyl, or R² and R³ together with the carbon atom they are commonly attached to form a C₃-C₆ spiro cycloalkyl ring; and

R⁴ is CH₂,

or a tautomer, prodrug, solvate, or salt thereof.

3. (currently amended) The compound of Formula (IA) according to claim 1, wherein:

R¹-is-phenyl, pyridyl, dihydrobenzofuranyl, or benzofuranyl, each optionally independently substituted with one to three substituent groups,

wherein—each substituent group of R¹ is independently methyl, ethyl, methoxy, ethoxy, fluoro, chloro, bromo, hydroxy, trifluoromethyl, acyl, oxo, C₁-C₅ alkylthio wherein the sulfur atom is optionally oxidized to a sulfoxide or sulfone, or cyano;

R² and R³ are each independently methyl, or R² and R³ together with the carbon atom they are commonly attached to form a spiro cyclopropyl ring; and

R⁴ is CH₂,

or a tautomer, prodrug, solvate, or salt thereof.

4. (currently amended) The compound of Formula (IA) according to claim 1, wherein:

R¹—is phenyl, dihydrobenzofuranyl, or benzofuranyl, each optionally independently substituted with one to three substituent groups,

wherein each substituent group of R^1 is independently C_1 - C_3 alkyl, C_2 - C_3 alkynyl, C_1 - C_3 alkoxy, C_2 - C_3 alkenyloxy, C_1 - C_3 alkanoyloxy, halogen, hydroxy, carboxy, cyano, trifluoromethyl, nitro, or C_1 - C_3 alkylthio wherein the sulfur atom is optionally oxidized to a sulfoxide or sulfone; and

R² and R³ are each independently hydrogen or C₁-C₃ alkyl,

or a tautomer, prodrug, solvate, or salt thereof.

5. (currently amended) A compound selected from:

1-{4-[4-(5-Fluoro-2-methoxyphenyl)-2-hydroxy-4-methyl-2-trifluoromethylpentyl]-2,6-dimethylpiperazin-1-yl}ethanone;

4-[4-(5-Fluoro-2-methoxyphenyl)-2-hydroxy-4-methyl-2-trifluoromethylpentyl]-2,6-dimethylpiperazine-1-carbaldehyde;

1-{5-[4-(5-Fluoro-2-methoxyphenyl)-2-hydroxy-4-methyl-2-trifluoromethylpentyl]-2,5-diazabicyclo[2.2.1]hept-2-yl}ethanone;

4-[4-(5-Fluoro-2-methoxyphenyl)-2-hydroxy-4-methyl-2-trifluoromethylpentyl]-3,4-dihydro-2*H*-quinoxaline-1-carbaldehyde;

4-[4-(5-Fluoro-2-methoxyphenyl)-2-hydroxy-4-methyl-2-trifluoromethylpentyl]-3,4-dihydro-1*H*-quinoxalin-2-one;

- 4-[4-(5-Fluoro-2-methoxyphenyl)-2-hydroxy-4-methyl-2-trifluoromethylpentyl]piperazine-2,6-dione;
- 2-(2,6-Dimethylthiomorpholin-4-ylmethyl)-1,1,1-trifluoro-4-(5-fluoro-2-methoxyphenyl)-4-methylpentan-2-ol;
- $2-(1,1-\text{Dioxo}-1H-1\lambda^6-\text{benzo}[1,4]$ thiazin-4-ylmethyl)-1,1,1-trifluoro-4-(5-fluoro-2-methoxyphenyl)-4-methylpentan-2-ol;
- $2-(1,1-\text{Dioxo}-2,3-\text{dihydro}-1H-1\lambda^6-\text{benzo}[1,4]$ thiazin-4-ylmethyl)-1,1,1-trifluoro-4-(5-fluoro-2-methoxyphenyl)-4-methylpentan-2-ol;
- $1-\{5-[4-(5-Fluoro-2-methoxyphenyl)-2-hydroxy-4-methyl-2-trifluoromethylpentyl]-2,3,4,5-tetrahydrobenzo[b][1,4]diazepin-1-yl\}ethanone;$
- 5-[4-(5-Fluoro-2-methoxyphenyl)-2-hydroxy-4-methyl-2-trifluoromethylpentyl]-1,3,4,5-tetrahydrobenzo[b][1,4]diazepin-2-one;
- 2-[4-(5-Fluoro-2-methoxyphenyl)-2-hydroxy-4-methyl-2-trifluoromethylpentyl]isoindole-1,3-dione;
- 2-[4-(5-Fluoro-2-methoxyphenyl)-2-hydroxy-4-methyl-2-trifluoromethylpentyl]pyrrolo[3,4-c]pyridine-1,3-dione;
- 2-[4-(5-Fluoro-2-methoxyphenyl)-2-hydroxy-4-methyl-2-trifluoromethylpentyl]-1,3-dioxo-2,3-dihydro-1*H*-isoindole-5-carbonitrile;
- 2-(2,3-Dihydrobenzo[1,4]thiazin-4-ylmethyl)-1,1,1-trifluoro-4-(4-fluorophenyl)-4-methylpentan-2-ol;
- 4 (2,3-Dihydrobenzofuran 7-yl) 1,1,1 trifluoro-4 methyl 2 (4 methyl 3,4 dihydro 2H-quinoxalin 1-ylmethyl)pentan-2 ol;

```
1-{4-[4-(5-Bromo-2,3-dihydrobenzofuran-7-yl)-2-hydroxy-4-methyl-2-
trifluoromethylpentyl] 3,4 dihydro 2H quinoxalin 1 yl}ethanone;
4 [4 (5 Fluoro 2,3 dihydrobenzofuran 7 yl) 2 hydroxy 4 methyl 2 trifluoromethylpentyl]
3.4-dihydro-1H-quinoxalin-2-one;
1-{4-[4-(3-Fluorophenyl)-2-hydroxy-4-methyl-2-trifluoromethylpentyl]-2,6-
dimethylpiperazin-1-yl}ethanone;
4-(2,3-Dihydrobenzofuran-7-yl) 2-(2,3-dihydrobenzo[1,4]thiazin-4-ylmethyl) 1,1,1-trifluoro-
4-methylpentan-2-ol;
2-(3,4-Dihydro-2H-quinoxalin-1-ylmethyl)-1,1,1-trifluoro-4-(4-fluorophenyl)-4-
methylpentan-2-ol;
2-(2,6-Dimethylthiomorpholin-4-ylmethyl)-1,1,1-trifluoro-4-(4-fluorophenyl)-4-
methylpentan-2-ol;
2 (1,1-Dioxo-2,3 dihydro-1H-1\lambda<sup>6</sup>-benzo[1,4]thiazin-4 ylmethyl)-1,1,1 trifluoro-4 (5-fluoro-
2,3 dihydrobenzofuran 7 yl) 4 methylpentan 2 ol;
5-[4-(5-Fluoro-2-methoxyphenyl)-2-hydroxy-4-methyl-2-trifluoromethylpentyl]-2, 5-[4-(5-Fluoro-2-methoxyphenyl)-2-hydroxy-4-methyl-2-trifluoromethylpenyl)-2-hydroxy-4-methyl-2-trifluoromethylpenyl-2-hydroxy-4-methyl-2-trifluoromethylpenyl-2-hydroxy-4-methyl-2-trifluoromethylpenyl-2-hydroxy-4-methyl-2-trifluoromethylpenyl-2-hydroxy-4-methyl-2-trifluoromethylpenyl-2-hydroxy-4-methyl-2-trifluoromethylpenyl-2-hydroxy-4-methyl-2-trifluoromethylpenyl-2-hydroxy-4-methyl-2-trifluoromethylpenyl-2-hydroxy-4-methyl-2-trifluoromethylpenyl-2-hydroxy-4-methyl-2-trifluoromethylpenyl-2-hydroxy-4-methyl-2-trifluoromethylpenyl-2-hydroxy-4-methyl-2-trifluoromethylpenyl-2-hydroxy-4-methyl-2-trifluoromethylpenyl-2-hydroxy-4-methyl-2-trifluoromethylpenyl-2-hydroxy-4-methyl-2-trifluoromethylpenyl-2-hydroxy-4-methyl-2-hydroxy-4-methyl-2-hydroxy-4-methyl-2-hydroxy-4-methyl-2-hydroxy-4-methyl-2-hydroxy-4-methyl-2-hydroxy-4-methyl-2-hydroxy-4-methyl-2-hydroxy-4-methyl-2-hydroxy-4-methyl-2-hydroxy-4-methyl-2-hydroxy-4-methyl-2-hydroxy-4-methyl-2-hydroxy-4-methyl-2-hydroxy-4-methyl-2-hydroxy-4-methyl-2-hydroxy-4-methyl-2-hydroxy-4-methyl-2-hydroxy-4-methyl-2-hydroxy-4-methyl-2-hydroxy-4-methyl-2-hydroxy-4-methyl-2-hydroxy-4-methyl-2-hydroxy-4-methyl-2-hydroxy-4-methyl-2-hydroxy-4-methyl-2-hydroxy-4-methyl-2-hydroxy-4-methyl-2-hydroxy-4-methy
diazabicyclo[2.2.1]heptan-3-one;
 1,1,1-Trifluoro-4-(5-fluoro-2-methoxyphenyl)-4-methyl-2-morpholin-4-ylmethylpentan-2-ol;
2-(2,6-Dimethylmorpholin-4-ylmethyl)-1,1,1-trifluoro-4-(5-fluoro-2-methoxyphenyl)-4-
methylpentan-2-ol;
 2-(2.3-Dihydrobenzo[1,4]oxazin-4-ylmethyl)-1,1,1-trifluoro-4-(5-fluoro-2-methoxyphenyl)-
 4-methylpentan-2-ol;
 2-(2.3 Dihydrobenzo[1,4]oxazin-4-ylmethyl)-1,1,1-trifluoro-4-(5-fluoro-2,3-
 dihydrobenzofuran 7 yl) 4 methylpentan 2 ol;
```

1-[4-(5-Fluoro-2-methoxyphenyl)-2-hydroxy-4-methyl-2-trifluoromethylpentyl]piperidin-4-one;

1-[4-(5-Fluoro-2-methoxyphenyl)-2-hydroxy-4-methyl-2-trifluoromethylpentyl]-1*H*-quinolin-4-one;

1-[4-(5-Fluoro-2-hydroxyphenyl)-2-hydroxy-4-methyl-2-trifluoromethylpentyl]-1*H*-quinolin-4-one;

1-[4-(5-Fluoro-2-methoxyphenyl)-2-hydroxy-4-methyl-2-trifluoromethylpentyl]-3-methoxy-1*H*-quinolin-4-one;

1-[4-(5-Fluoro-2-methoxyphenyl)-2-hydroxy-2,4-dimethylpentyl]-3,5-dimethyl-1<math>H-pyridin-4-one;

1-[4-(5-Fluoro-2-methoxyphenyl)-2-hydroxy-4-methyl-2-trifluoromethylpentyl]-3,5-dimethylpiperidin-4-one;

1-[4-(5-Fluoro-2-methoxyphenyl)-2-hydroxy-4-methyl-2-trifluoromethylpentyl]-1*H*-quinazolin-4-one;

1-[4-(5-Fluoro-2-methoxyphenyl)-2-hydroxy-4-methyl-2-trifluoromethylpentyl]-1*H*-cinnolin-4-one;

1-[4-(5-Fluoro-2-methoxyphenyl)-2-hydroxy-4-methyl-2-trifluoromethylpentyl]-3-methyl-1<math>H-quinolin-4-one;

1-[4-(5-Fluoro-2-methoxyphenyl)-2-hydroxy-4-methyl-2-trifluoromethylpentyl]-3-isopropyl-1*H*-quinolin-4-one;

1-[4-(5-Fluoro-2-methoxyphenyl)-2-hydroxy-4-methyl-2-trifluoromethylpentyl]-2,3-dihydro-1*H*-quinolin-4-one;

```
1-[4-(4-Fluorophenyl)-2-hydroxy-4-methyl-2-trifluoromethylpentyl]piperidin-4-one;
1-[4-(4-Fluorophenyl)-2-hydroxy-4-methyl-2-trifluoromethylpentyl]-1H-quinolin-4-one;
1-[4-(3-Fluorophenyl)-2-hydroxy-4-methyl-2-trifluoromethylpentyl]-1H-quinolin-4-one;
1-[4-(2-Fluorophenyl)-2-hydroxy-4-methyl-2-trifluoromethylpentyl]-1H-quinolin-4-one;
1-[4-(3-Fluoro-4-methylphenyl)-2-hydroxy-4-methyl-2-trifluoromethylpentyl]-1H-quinolin-
4-one;
1-[4-(4-Fluoro-2-hydroxyphenyl)-2-hydroxy-4-methyl-2-trifluoromethylpentyl]-1H-quinolin-
4-one;
1-[4-(2-Methylphenyl)-2-hydroxy-4-methyl-2-trifluoromethylpentyl]-1H-quinolin-4-one;
1-[4-(3-Cyanophenyl)-2-hydroxy-4-methyl-2-trifluoromethylpentyl]-1H-quinolin-4-one;
1-[4-(3-Carboxamidophenyl)-2-hydroxy-4-methyl-2-trifluoromethylpentyl]-1H-quinolin-4-
one;
1-[4-(2,6-dimethylphenyl)-2-hydroxy-4-methyl-2-trifluoromethylpentyl]-1H-quinolin-4-one;
1-[4-Phenyl-2-hydroxy-4-methyl-2-trifluoromethylpentyl]-1H-quinolin-4-one;
1-[4-Cyclohexyl-2-hydroxy-4-methyl-2-trifluoromethylpentyl]-1H-quinolin 4 one;
1-[4-(Thiophen-2-yl) 2-hydroxy 4-methyl-2-trifluoromethylpentyl]-1H-quinolin 4-one;
1 [4 (Pyridin 2 yl) 2 hydroxy 4 methyl-2-trifluoromethylpentyl] 1H quinolin 4 one;
1-[4-(Pyridin-3-yl)-2-hydroxy-4-methyl-2-trifluoromethylpentyl]-1H-quinolin-4-one;
1 [4 (Pyridin 4 yl) 2 hydroxy 4 methyl 2 trifluoromethylpentyl] 1H quinolin 4 one;
```

```
1-[4-(4-Fluorophenyl)-2-hydroxy-4-methyl-2-trifluoromethylpentyl]-3,5-dimethylpiperidin-
4-one;
1-[4-(4-Fluorophenyl)-2-hydroxy-4-methyl-2-trifluoromethylpentyl]-1H-quinazolin-4-one;
1-[4-(4-Fluorophenyl)-2-hydroxy-4-methyl-2-trifluoromethylpentyl]-1H-cinnolin-4-one;
1-[4-(4-Fluorophenyl)-2-hydroxy-4-methyl-2-trifluoromethylpentyl]-3-methyl-1H-quinolin-
4-one;
1-[4-(4-Fluorophenyl)-2-hydroxy-4-methyl-2-trifluoromethylpentyl]-3-isopropyl-1H-
quinolin-4-one;
1 [4 (5 Fluoro 2,3 dihydrobenzofuran 7 yl) 2 hydroxy 4 methyl 2 trifluoromethylpentyl]
1H-quinolin-4-one;
1 [4 (5 Fluoro 2,3 dihydrobenzofuran 7-yl) 2 hydroxy 4 methyl 2 trifluoromethylpentyl] 3
methyl 1H-quinolin 4-one;
1 [4 (5 Bromo 2.3 dihydrobenzofuran 7 yl) 2 hydroxy 4 methyl 2 trifluoromethylpentyl]
1H-quinolin-4-one;
1-[4 (5 Cyano-2,3-dihydrobenzofuran-7-yl)-2 hydroxy-4 methyl-2-trifluoromethylpentyl]-
1H-quinolin 4-one;
1-[4 (5 Methyl-2,3 dihydrobenzofuran-7-yl) 2 hydroxy 4 methyl-2-trifluoromethylpentyl]-
1H-quinolin-4-one;
1 [4 (5 Chloro 2,3 dihydrobenzofuran 7 yl) 2 hydroxy 4 methyl 2 trifluoromethylpentyl]
1H quinolin 4-one;
1-[4 (2,3-Dihydrobenzofuran-7-yl) 2-hydroxy 4-methyl-2-trifluoromethylpentyl]-1H-
```

quinolin 4 one;

1 [4 (5 Methoxy 2,3 dihydrobenzofuran 7 yl) 2 hydroxy 4 methyl 2 trifluoromethylpentyl] 1H quinolin 4 one;

1-[4-(5-Fluoro-2,3-dihydrobenzofuran-7-yl) 2-hydroxy 4-methyl-2-trifluoromethylpentyl]-3,5-dimethylpiperidin-4-one;

1 [4 (5 Fluoro-2,3 dihydrobenzofuran-7-yl) 2 hydroxy 4 methyl 2 trifluoromethylpentyl] 1*H*-quinazolin 4 one;

1-[4 (5 Fluoro 2,3 dihydrobenzofuran 7 yl) 2-hydroxy 4-methyl-2-trifluoromethylpentyl]-1*H*-cinnolin-4-one;

1-[4 (5-Fluoro-2,3-dihydrobenzofuran-7-yl) 2-hydroxy-4-methyl-2-trifluoromethylpentyl]-2,3-dihydro-1*H*-quinolin-4-one;

1-[4 (5 Bromo 2,3 dihydrobenzofuran 7 yl) 2 hydroxy 4 methyl 2 trifluoromethylpentyl] 2,3 dihydro 1*H* quinolin 4 one;

1 [4 (5 Cyano 2,3 dihydrobenzofuran 7 yl) 2 hydroxy 4 methyl 2 trifluoromethylpentyl] 2,3 dihydro-1*H*-quinolin 4 one;

1 [4 (4 Fluoro-2,3 dihydrobenzofuran 7 yl) 2 hydroxy 4 methyl 2 trifluoromethylpentyl] 2,3 dihydro-1*H* quinolin 4 one;

1-[2,2,2-Trifluoro-1-hydroxy-1 (4-methylchroman 4-ylmethyl)ethyl]-1H-quinolin-4-one;

1-[4-(5-Fluoro-2-methoxyphenyl)-2-hydroxy-4-methyl-2-trifluoromethylpentyl]-1,2-dihydrobenzo[d][1,3]oxazin-4-one;

1-[4-(5-Fluoro-2-hydroxyphenyl)-2-hydroxy-4-methyl-2-trifluoromethylpentyl]-1,2-dihydrobenzo[d][1,3]oxazin-4-one;

4-[4-(5-Fluoro-2-methoxyphenyl)-2-hydroxy-4-methyl-2-trifluoromethylpentyl]-3,4-dihydrobenzo[1,4]oxazin-2-one;

4-[4-(5-Fluoro-2-hydroxyphenyl)-2-hydroxy-4-methyl-2-trifluoromethylpentyl]-3,4-dihydrobenzo[1,4]oxazin-2-one;

1-[4-(5-Fluoro-2-methoxyphenyl)-2-hydroxy-4-methyl-2-trifluoromethylpentyl]-1*H*-[1,5]naphthyridin-4-one;

1-[4-(5-Fluoro-2-hydroxyphenyl)-2-hydroxy-4-methyl-2-trifluoromethylpentyl]-1*H*-[1,5]naphthyridin-4-one;

1-[4-(5-Fluoro-2-methoxyphenyl)-2-hydroxy-4-methyl-2-trifluoromethylpentyl]-2,3-dihydro-1*H*-[1,5]naphthyridin-4-one;

1-[4-(5-Fluoro-2-hydroxyphenyl)-2-hydroxy-4-methyl-2-trifluoromethylpentyl]-2,3-dihydro-1*H*-[1,5]naphthyridin-4-one;

1-[4-(5-Fluoro-2-methylphenyl)-2-hydroxy-4-methyl-2-trifluoromethylpentyl]-1*H*-quinolin-4-one;

1-[4-(2,4-dimethylphenyl)-2-hydroxy-4-methyl-2-trifluoromethylpentyl]-1*H*-quinolin-4-one;

1-[4-(4-Fluoro-2-methoxyphenyl)-2-hydroxy-4-methyl-2-trifluoromethylpentyl]-1*H*-quinolin-4-one;

1-[4-(3-Fluoro-4-methoxyphenyl)-2-hydroxy-4-methyl-2-trifluoromethylpentyl]-1*H*-quinolin-4-one;

1-(4-Benzo[1,3]dioxol 4-yl-2-hydroxy 4-methyl-2-trifluoromethylpentyl) 1H-quinolin-4-one;

- 1-[4-(5-Fluoro-2-methoxyphenyl)-2-hydroxy-4-methyl-2-trifluoromethylpentyl]-1,2-dihydroindazol-3-one;
- 1,1,1-Trifluoro-4-(5-fluoro-2-methoxyphenyl)-4-methyl-2-piperazin-1-ylmethylpentan-2-ol;
- 1,1,1-Trifluoro-4-(5-fluoro-2-methoxyphenyl)-4-methyl-2-(4-methylpiperazin-1-ylmethyl)pentan-2-ol;
- 1-{4-[4-(5-Fluoro-2-methoxyphenyl)-2-hydroxy-4-methyl-2-trifluoromethylpentyl]piperazin-1-yl}ethanone;
- 2-(3,5-Dimethylpiperazin-1-ylmethyl)-1,1,1-trifluoro-4-(5-fluoro-2-methoxyphenyl)-4-methylpentan-2-ol;
- 1,1,1-Trifluoro-4-(5-fluoro-2-methoxyphenyl)-4-methyl-2-(3,4,5-trimethylpiperazin-1-ylmethyl)pentan-2-ol;
- 2-(3,4-Dihydro-2*H*-quinoxalin-1-ylmethyl)-1,1,1-trifluoro-4-(5-fluoro-2-methoxyphenyl)-4-methylpentan-2-ol;
- 1,1,1-Trifluoro-4-(5-fluoro-2-methoxyphenyl)-4-methyl-2-(4-methyl-3,4-dihydro-2*H*-quinoxalin-1-ylmethyl)pentan-2-ol;
- 2-[1,4]Diazepan-1-ylmethyl-1,1,1-trifluoro-4-(5-fluoro-2-methoxyphenyl)-4-methylpentan-2-ol;
- 1,1,1-Trifluoro-4-(5-fluoro-2-methoxyphenyl)-4-methyl-2-(4-methyl-[1,4]diazepan-1-ylmethyl)pentan-2-ol;
- 1-{4-[4-(5-Fluoro-2-methoxyphenyl)-2-hydroxy-4-methyl-2-trifluoromethylpentyl]-[1,4]diazepan-1-yl}ethanone;

- 4-[4-(5-Fluoro-2-methoxyphenyl)-2-hydroxy-4-methyl-2-trifluoromethylpentyl]-[1,4]diazepane-1-carbaldehyde;
- 1,1,1-Trifluoro-4-(5-fluoro-2-methoxyphenyl)-4-methyl-2-thiomorpholin-4-ylmethylpentan-2-ol;
- 1,1,1-Trifluoro-4-(5-fluoro-2-methoxyphenyl)-4-methyl-2-(1-oxo- $1\lambda^5$ -thiomorpholin-4-ylmethyl)pentan-2-ol;
- $2-(1,1-Dioxo-1\lambda^6-thiomorpholin-4-ylmethyl)-1,1,1-trifluoro-4-(5-fluoro-2-methoxyphenyl)-4-methylpentan-2-ol;$
- 2-(2,3-Dihydrobenzo[1,4]thiazin-4-ylmethyl)-1,1,1-trifluoro-4-(5-fluoro-2-methoxyphenyl)-4-methylpentan-2-ol;
- 1,1,1-Trifluoro-4-(5-fluoro-2-methoxyphenyl)-4-methyl-2-(1-oxo-2,3-dihydro-1H- $1\lambda^4$ -benzo[1,4]thiazin-4-ylmethyl)pentan-2-ol;
- 1-{4-[4-(5-Fluoro-2-methoxyphenyl)-2-hydroxy-4-methyl-2-trifluoromethylpentyl]-3,4-dihydro-2*H*-quinoxalin-1-yl}ethanone;
- 1-[2-Hydroxy-4-(2-methoxy-5-thiophen-2-ylphenyl)-4-methyl-2-trifluoromethylpentyl]-1*H*-quinolin-4-one;
- 1-[4 (6-Bromobenzo[1,3]dioxol-4-yl)-2-hydroxy-4-methyl-2-trifluoromethylpentyl]-1*H*-quinolin-4-one;
- 1-[4-(5-Fluoro-2-hydroxyphenyl)-2-hydroxy-4-methyl-2-trifluoromethylpentyl]-3-methyl-1*H*-quinolin-4-one;
- 1-[2-Hydroxy-4-(4-hydroxybiphenyl-3-yl)-4-methyl-2-trifluoromethylpentyl]-1*H*-quinolin-4-one;

- 1-{4-[5-(3,5-Dimethylisoxazol-4-yl)-2-hydroxyphenyl]-2-hydroxy-4-methyl-2-trifluoromethylpentyl}-1*H*-quinolin-4-one;
- 1-[2-Hydroxy-4-(2-hydroxy-5-thiophen-3-ylphenyl)-4-methyl-2-trifluoromethylpentyl]-1*H*-quinolin-4-one;
- 1-{4-[5-(3,5-Dimethylisoxazol-4-yl)-2-methoxyphenyl]-2-hydroxy-4-methyl-2-trifluoromethylpentyl}-1*H*-quinolin-4-one;
- 1-[4-(5-Fluoro-2-methylphenyl)-2-hydroxy-4-methyl-2-trifluoromethylpentyl]-1*H*-[1,5]naphthyridin-4-one;
- 1-[2-Hydroxy 4 (5-methanesulfonyl-2,3-dihydrobenzofuran 7-yl) 4-methyl-2-trifluoromethylpentyl] 1*H*-[1,5]naphthyridin 4-one;
- 1-[2-Hydroxy-4-methyl-4-(3-pyridin-3-ylphenyl)-2-trifluoromethylpentyl]-1*H*-quinolin-4-one;
- 1-[2-Hydroxy-4-(2-hydroxy-5-morpholin-4-ylmethylphenyl)-4-methyl-2-trifluoromethylpentyl]-1*H*-quinolin-4-one;
- 1-[2-Hydroxy-4-(2-methoxy-5-morpholin-4-ylmethylphenyl)-4-methyl-2-trifluoromethylpentyl]-1*H*-quinolin-4-one;
- 1-[2-Hydroxy-4-(5-hydroxymethyl-2-methoxyphenyl)-4-methyl-2-trifluoromethylpentyl]-1*H*-quinolin-4-one;
- 4-Methoxy-3-[4,4,4-trifluoro-3-hydroxy-1,1-dimethyl-3-(4-oxo-4*H*-quinolin-1-ylmethyl)butyl]benzaldehyde;
- 1-[4-(5-[1,3]Dioxan-2-yl-2-methoxyphenyl)-2-hydroxy-4-methyl-2-trifluoromethylpentyl]-1*H*-quinolin-4-one;

1-[2-Hydroxy-4-(2-methoxy-5-thiophen-3-ylphenyl)-4-methyl-2-trifluoromethylpentyl]-1*H*-quinolin-4-one;

1-[4-(5-Furan-3-yl-2-methoxyphenyl)-2-hydroxy-4-methyl-2-trifluoromethylpentyl]-1*H*-quinolin-4-one;

1 [2-Hydroxy 4 (5-methanesulfonyl 2,3 dihydrobenzofuran 7-yl) 4-methyl 2-trifluoromethylpentyl] 3,5-dimethyl 1*H*-pyridin 4-one;

1-[4-(5-Fluoro-2-hydroxyphenyl)-2-hydroxy-4-methyl-2-trifluoromethylpentyl]-1*H*-quinazolin-4-one;

1-[2-Hydroxy-4-(4-methoxybiphenyl-3-yl)-4-methyl-2-trifluoromethylpentyl]-1*H*-quinolin-4-one;

1-[4-(5-Acetyl-2-hydroxyphenyl)-2-hydroxy-4-methyl-2-trifluoromethylpentyl]-1*H*-quinolin-4-one;

1 [3,3,3-Trifluoro-2 (6 fluoro-4 methylchroman 4 ylmethyl)-2-hydroxypropyl] 1*H* quinolin-4-one;

1-(4-{3-[1-(Benzyloxyimino)ethyl]phenyl}-2-hydroxy-4-methyl-2-trifluoromethylpentyl)-1*H*-quinolin-4-one;

1-[4-(3-Cyclopropanecarbonylphenyl)-2-hydroxy-4-methyl-2-trifluoromethylpentyl]-1*H*-quinolin-4-one;

1-[4-(5-Acetyl-2-methoxyphenyl)-2-hydroxy-4-methyl-2-trifluoromethylpentyl]-1*H*-quinolin-4-one;

1-(2-Hydroxy-4-{3-[1-(methoxyimino)ethyl]phenyl}-4-methyl-2-trifluoromethylpentyl)-1*H*-quinolin-4-one;

- 1-[4-(5-Bromo-2-hydroxyphenyl)-2-hydroxy-4-methyl-2-trifluoromethylpentyl]-1*H*-quinolin-4-one;
- 1-(2-Hydroxy-4-{3-[1-(hydroxyimino)ethyl]phenyl}-4-methyl-2-trifluoromethylpentyl)-1*H*-quinolin-4-one;
- 1-[4-(5-Bromo-2-methoxyphenyl)-2-hydroxy-4-methyl-2-trifluoromethylpentyl]-1*H*-quinolin-4-one;
- $1-[4-(3,5-Difluor ophenyl)-2-hydroxy-4-methyl-2-trifluor omethyl pentyl]-1 \\ H-quinolin-4-one;$
- 1-[4-(3,5-Dimethylphenyl)-2-hydroxy-4-methyl-2-trifluoromethylpentyl]-1*H*-quinolin-4-one;
- 1-{2-Hydroxy-4-methyl-4-[3-(2-methyl-[1,3]dioxolan-2-yl)phenyl]-2-trifluoromethylpentyl}-1*H*-quinolin-4-one;
- 1 [4 (2,3 Dihydrobenzofuran 7 yl) 2 hydroxy 4 methyl 2 trifluoromethylpentyl] 2 hydroxymethyl 3,5 dimethyl 1*H* pyridin 4 one;
- 1-[4-(2,3-Dihydrobenzofuran 7-yl) 2-hydroxy 4-methyl 2-trifluoromethylpentyl] 1*H*-[1,5]naphthyridin 4-one;
- 1-[2-Hydroxy-4-(3-hydroxymethylphenyl)-4-methyl-2-trifluoromethylpentyl]-1*H*-quinolin-4-one;
- 1-[4-(3-[1,3]Dioxan-2-ylphenyl)-2-hydroxy-4-methyl-2-trifluoromethylpentyl]-1H-quinolin-4-one;
- 1-[4-(3-Acetylphenyl)-2-hydroxy-4-methyl-2-trifluoromethylpentyl]-1*H*-quinolin-4-one;
- 1-{4-[3-(3,5-Dimethylisoxazol-4-yl)phenyl]-2-hydroxy-4-methyl-2-trifluoromethylpentyl}-1*H*-quinolin-4-one;

- l-[4-(5-Fluoro-2-methylphenyl)-2-hydroxy-4-methyl-2-trifluoromethylpentyl]-3,5-dimethyl-1*H*-pyridin-4-one;
- 1-{2-Hydroxy-4-[3-(1-hydroxyethyl)phenyl]-4-methyl-2-trifluoromethylpentyl}-1*H*-quinolin-4-one;
- 1-[4 (2,3-Dihydrobenzofuran-7-yl) 2-hydroxy 4-methyl-2-trifluoromethylpentyl] 3,5-dimethyl-1*H*-pyridin-4-one;
- 1-[4-(5-Fluoro-2-hydroxyphenyl)-2-hydroxy-4-methyl-2-trifluoromethylpentyl]-2-hydroxymethyl-3,5-dimethyl-1*H*-pyridin-4-one;
- 3-[4,4,4-Trifluoro-3-hydroxy-1,1-dimethyl-3-(4-oxo-4*H*-quinolin-1-ylmethyl)butyl]benzaldehyde;
- 1,1,1-Trifluoro-4-(5-fluoro-2-methoxyphenyl)-2-(4-imino-4*H*-quinolin-1-ylmethyl)-4-methylpentan-2-ol;
- 1-[4-(5-Fluoro-2-methoxyphenyl)-2-hydroxy-4-methyl-2-trifluoromethylpentyl]-2-hydroxymethyl-3,5-dimethyl-1*H*-pyridin-4-one;
- 1-[4-(5-Fluoro-2-hydroxyphenyl)-2-hydroxy-4-methyl-2-trifluoromethylpentyl]-3-hydroxymethyl-1*H*-quinolin-4-one;
- $1-[4-(5-Fluoro-2-hydroxyphenyl)-2-hydroxy-4-methyl-2-trifluoromethylpentyl]-3-hydroxy-2-methyl-1 \\ H-pyridin-4-one;$
- 1-[4-(5-Fluoro-2-methoxyphenyl)-2-hydroxy-4-methyl-2-trifluoromethylpentyl]-3-methoxy-2-methyl-1*H*-pyridin-4-one;
- 1-[4-(3-Bromophenyl)-2-hydroxy-4-methyl-2-trifluoromethylpentyl]-1*H*-quinolin-4-one;
- 1-[4-(5-Fluoro-2-hydroxyphenyl)-2-hydroxy-4-methyl-2-trifluoromethylpentyl]-6-hydroxy-1*H*-quinolin-4-one;

1-[4-(5-Fluoro-2-methoxyphenyl)-2-hydroxy-4-methyl-2-trifluoromethylpentyl]-3-methoxymethyl-1*H*-quinolin-4-one;

1-[4-(5-Fluoro-2-hydroxyphenyl)-2-hydroxy-4-methyl-2-trifluoromethylpentyl]-7-hydroxy-1*H*-quinolin-4-one;

1-[4-(5-Fluoro-2-methoxyphenyl)-2-hydroxy-4-methyl-2-trifluoromethylpentyl]-7-methoxy-1*H*-quinolin-4-one;

1-[4-(5-Fluoro-2-methoxyphenyl)-2-hydroxy-4-methyl-2-trifluoromethylpentyl]-6-methoxy-1*H*-quinolin-4-one;

1-[4-(5-Fluoro-2-methoxyphenyl)-2-hydroxy-4-methyl-2-trifluoromethylpentyl]-6-methyl-1*H*-quinolin-4-one;

1-[4-(5-Fluoro-2-methoxyphenyl)-2-hydroxy-4-methyl-2-trifluoromethylpentyl]-3-hydroxymethyl-1*H*-quinolin-4-one;

6-Chloro-1-[4-(5-fluoro-2-hydroxyphenyl)-2-hydroxy-4-methyl-2-trifluoromethylpentyl]-1*H*-quinolin-4-one;

1-[-4-(2-Difluoromethoxy-5-fluorophenyl)-2-hydroxy-4-methyl-2-trifluoromethylpentyl]-1*H*-quinolin-4-one;

1-(4-Biphenyl-3-yl-2-hydroxy-4-methyl-2-trifluoromethylpentyl)-1*H*-quinolin-4-one;

6-Chloro-1-[4-(5-fluoro-2-methoxyphenyl)-2-hydroxy-4-methyl-2-trifluoromethylpentyl]-1*H*-quinolin-4-one;

1-[2-Hydroxy-4-(2-hydroxy-5-methylphenyl)-4-methyl-2-trifluoromethylpentyl]-1*H*-quinolin-4-one;

- $1-\{2-Hydroxy-4-methyl-4-[3-(2-oxopropoxy)phenyl]-2-trifluoromethylpentyl\}-1\\ H-quinolin-4-one;$
- 1-[2-Hydroxy-4-(3-isopropoxyphenyl)-4-methyl-2-trifluoromethylpentyl]-1*H*-quinolin-4-one;
- 1-[4-(3-Ethoxyphenyl)-2-hydroxy-4-methyl-2-trifluoromethylpentyl]-1H-quinolin-4-one;
- 1-[2-Hydroxy-4-(2-methoxy-5-methylphenyl)-4-methyl-2-trifluoromethylpentyl]-1*H*-quinolin-4-one;
- 1-[4-(2,5-Dimethylphenyl)-2-hydroxy-4-methyl-2-trifluoromethylpentyl]-1*H*-quinolin-4-one;
- 1-[2-Hydroxy-4-(3-hydroxyphenyl)-4-methyl-2-trifluoromethylpentyl]-1*H*-quinolin-4-one;
- 1-[2-Hydroxy-4-(3-methoxyphenyl)-4-methyl-2-trifluoromethylpentyl]-1*H*-quinolin-4-one;
- 1-[4-(5-Fluoro-2-hydroxyphenyl)-2-hydroxy-4-methyl-2-trifluoromethylpentyl]-1,2-dihydroindazol-3-one;
- 7-Fluoro-1-[4-(5-fluoro-2-hydroxyphenyl)-2-hydroxy-4-methyl-2-trifluoromethylpentyl]-1*H*-quinolin-4-one;
- 1-[4-(5-Fluoro-2-hydroxyphenyl)-2-hydroxy-4-methyl-2-trifluoromethylpentyl]-3,5-dimethyl-1*H*-pyridin-4-one;
- 7-Fluoro-1-[4-(5-fluoro-2-methoxyphenyl)-2-hydroxy-4-methyl-2-trifluoromethylpentyl]-1*H*-quinolin-4-one;
- 1-(2-Hydroxy-4-methyl-4-phenyl-2-trifluoromethylhexyl)-1*H*-quinolin-4-one;
- 2-(3,4-Dihydro-2*H*-quinolin-1-ylmethyl)-1,1,1-trifluoro-4-(5-fluoro-2-methoxyphenyl)-4-methylpentan-2-ol;

1-[4-(4-Fluoro-2-methylphenyl)-2-hydroxy-4-methyl-2-trifluoromethylpentyl]-1*H*-quinolin-4-one;

1-[4-(5-Fluoro-2-methoxyphenyl)-2-hydroxy-4-methyl-2-trifluoromethylpentyl]piperidin-4-ol;

1-[4-(3,4-Dimethylphenyl)-2-hydroxy-4-methyl-2-trifluoromethylpentyl]-1*H*-quinolin-4-one;

8-Fluoro-1-[4-(5-fluoro-2-hydroxyphenyl)-2-hydroxy-4-methyl-2-trifluoromethylpentyl]-1*H*-quinolin-4-one;

6-Fluoro-1-[4-(5-fluoro-2-hydroxyphenyl)-2-hydroxy-4-methyl-2-trifluoromethylpentyl]-1*H*-quinolin-4-one;

1-{4-[5-Fluoro-2-(2-hydroxypropoxy)phenyl]-2-hydroxy-4-methyl-2-trifluoromethylpentyl}-1*H*-quinolin-4-one;

1-{4-[5-Fluoro-2-(2-oxopropoxy)phenyl]-2-hydroxy-4-methyl-2-trifluoromethylpentyl}-1*H*-quinolin-4-one;

7-Chloro-1-[4-(5-fluoro-2-hydroxyphenyl)-2-hydroxy-4-methyl-2-trifluoromethylpentyl]-1*H*-quinolin-4-one;

1-[4-(5-Fluoro-2-isopropoxyphenyl)-2-hydroxy-4-methyl-2-trifluoromethylpentyl]-1*H*-quinolin-4-one;

 $1-[4-(2-\mathrm{Benzyloxy-5-fluorophenyl})-2-\mathrm{hydroxy-4-methyl-2-trifluoromethylpentyl}]-1 \textit{H-quinolin-4-one};$

1-[4-(2-Ethoxy-5-fluorophenyl)-2-hydroxy-4-methyl-2-trifluoromethylpentyl]-1*H*-quinolin-4-one;

8-Fluoro-1-[4-(5-fluoro-2-methoxyphenyl)-2-hydroxy-4-methyl-2-trifluoromethylpentyl]-1*H*-quinolin-4-one;

6-Fluoro-1-[4-(5-fluoro-2-methoxyphenyl)-2-hydroxy-4-methyl-2-trifluoromethylpentyl]-1*H*-quinolin-4-one;

1-[2 Hydroxy 4 (5 methanesulfonyl 2,3 dihydrobenzofuran 7 yl) 4 methyl 2-trifluoromethylpentyl] 1*H*-quinolin 4 one;

1 [2 Hydroxy 4 (5 methanesulfinyl 2,3 dihydrobenzofuran 7 yl) 4 methyl 2-trifluoromethylpentyl] 1*H* quinolin 4 one;

1-[2-Hydroxy 4 methyl 4-(5 methylsulfanyl 2,3 dihydrobenzofuran 7 yl) 2-trifluoromethylpentyl] 1*H*-quinolin 4 one;

7-Chloro-1-[4-(5-fluoro-2-methoxyphenyl)-2-hydroxy-4-methyl-2-trifluoromethylpentyl]-1*H*-quinolin-4-one;

1-[4-(5-Fluoro-2-methoxyphenyl)-2-hydroxy-4-methyl-2-trifluoromethylpentyl]piperidine-4-carboxylic acid amide;

1-[4-(2,3-Dihydroxyphenyl)-2-hydroxy-4-methyl-2-trifluoromethylpentyl]-1*H*-quinolin-4-one;

1-[4-(3-Fluoro-4-hydroxyphenyl)-2-hydroxy-4-methyl-2-trifluoromethylpentyl]-1*H*-quinolin-4-one;

3-[4-(5-Fluoro-2-methoxyphenyl)-2-hydroxy-4-methyl-2-trifluoromethylpentyl]-3*H*-quinazolin-4-one;

4-[4-(5-Fluoro-2-methoxyphenyl)-2-hydroxy-4-methyl-2-trifluoromethylpentyl]-1-methyl-3,4-dihydro-1*H*-quinoxalin-2-one;

1-[4-(5-Fluoro-2-methoxyphenyl)-2-hydroxy-4-methyl-2-trifluoromethylpentyl]-1*H*-pyridin-2-one;

1-[4-(5-Fluoro-2-methoxyphenyl)-2-hydroxy-4-methyl-2-trifluoromethylpentyl]-4,6-dimethyl-2-oxo-1,2-dihydropyridine-3-carbonitrile;

1-[4-(5-Fluoro-2-methoxyphenyl)-2-hydroxy-4-methyl-2-trifluoromethylpentyl]-4-methyl-1*H*-quinolin-2-one;

1-[4-(5-Fluoro-2-methoxyphenyl)-2-hydroxy-4-methyl-2-trifluoromethylpentyl]-3-nitro-5-trifluoromethyl-1*H*-pyridin-2-one;

1-[4-(5-Fluoro-2-methoxyphenyl)-2-hydroxy-4-methyl-2-trifluoromethylpentyl]-3-nitro-1*H*-pyridin-2-one;

1-[4-(5-Fluoro-2-methoxyphenyl)-2-hydroxy-4-methyl-2-trifluoromethylpentyl]-5-nitro-1*H*-pyridin-2-one;

3-Chloro-1-[4-(5-fluoro-2-methoxyphenyl)-2-hydroxy-4-methyl-2-trifluoromethylpentyl]-5-trifluoromethyl-1*H*-pyridin-2-one;

1-[4-(5-Fluoro-2-methoxyphenyl)-2-hydroxy-4-methyl-2-trifluoromethylpentyl]-4-methyl-1*H*-pyridin-2-one;

1-[4-(5-Fluoro-2-methoxyphenyl)-2-hydroxy-4-methyl-2-trifluoromethylpentyl]-4-methyl-3-nitro-1*H*-pyridin-2-one;

1-[4-(5-Fluoro-2-methoxyphenyl)-2-hydroxy-4-methyl-2-trifluoromethylpentyl]-4-methyl-5-nitro-1*H*-pyridin-2-one;

2-(3,4-Dihydro-1*H*-isoquinolin-2-ylmethyl)-1,1,1-trifluoro-4-(5-fluoro-2-methoxyphenyl)-4-methylpentan-2-ol;

2-(1,3-Dihydroisoindol-2-ylmethyl)-1,1,1-trifluoro-4-(5-fluoro-2-methoxyphenyl)-4-methylpentan-2-ol;

- 2-(2,3-Dihydroindol-1-ylmethyl)-1,1,1-trifluoro-4-(5-fluoro-2-methoxyphenyl)-4-methylpentan-2-ol;
- 1-[4-(5-Fluoro-2-methoxyphenyl)-2-hydroxy-4-methyl-2-trifluoromethylpentyl]-1,3-dihydroindol-2-one;
- 1-[4-(3-Dimethylaminomethylphenyl)-2-hydroxy-4-methyl-2-trifluoromethylpentyl]-1*H*-quinolin-4-one;
- 1-[2-Hydroxy-4-methyl-4-(3-morpholin-4-ylmethylphenyl)-2-trifluoromethylpentyl]-1*H*-quinolin-4-one;
- 1-[4-(3-Diethylaminomethylphenyl)-2-hydroxy-4-methyl-2-trifluoromethylpentyl]-1*H*-quinolin-4-one;
- $1-[4-(3-\{[(2-Dimethylaminoethyl)methylamino]methyl\}phenyl)-2-hydroxy-4-methyl-2-trifluoromethylpentyl]-1$H-quinolin-4-one;$
- 1-{2-Hydroxy-4-[3-(3-hydroxypyrrolidin-1-ylmethyl)phenyl]-4-methyl-2-trifluoromethylpentyl}-1*H*-quinolin-4-one;
- 1-[4-(3-Ethylaminomethylphenyl)-2-hydroxy-4-methyl-2-trifluoromethylpentyl]-1H-quinolin-4-one;
- 1-[2-Hydroxy-4-methyl-4-(3-pyrrolidin-1-ylmethylphenyl)-2-trifluoromethylpentyl]-1*H*-quinolin-4-one;
- 1-[2-Hydroxy-4-methyl-4-(3-piperidin-1-ylmethylphenyl)-2-trifluoromethylpentyl]-1*H*-quinolin-4-one;
- $1-\{2-Hydroxy-4-methyl-4-[3-(4-methylpiperazin-1-ylmethyl)phenyl]-2-trifluoromethylpentyl\}-1\\ H-quinolin-4-one;$

- 1-{4-[3-(3-Dimethylaminopyrrolidin-1-ylmethyl)phenyl]-2-hydroxy-4-methyl-2-trifluoromethylpentyl}-1*H*-quinolin-4-one;
- 1-[2-Hydroxy-4-methyl-4-(3-methylaminomethylphenyl)-2-trifluoromethylpentyl]-1*H*-quinolin-4-one;
- {4-[4-(5-Fluoro-2-hydroxyphenyl)-2-hydroxy-4-methyl-2-trifluoromethylpentyl]piperazin-1-yl}furan-2-ylmethanone;
- 1-[2-Hydroxy-4-(5-methanesulfonyl-2,3-dihydrobenzofuran-7-yl) 4-methyl-2-trifluoromethylpentyl] 3-methyl-1*H*-quinolin-4-one;
- 1-[4 (2,3-Dihydrobenzofuran 7 yl) 2-hydroxy 4-methyl-2-trifluoromethylpentyl] 3-methyl-1*H*-quinolin 4-one;
- 1-[4 (5 Chloro 2,3-dihydrobenzofuran 7-yl) 2-hydroxy 4-methyl 2-trifluoromethylpentyl] 3-methyl 1*H*-quinolin 4-one;
- 1-[4-(5-Fluoro-2-methylphenyl)-2-hydroxy-4-methyl-2-trifluoromethylpentyl]-3-methyl-1*H*-quinolin-4-one;
- 7 [4,4,4 Trifluoro 3 hydroxy 1,1 dimethyl 3 (3 methyl 4 oxo 4*H* quinolin 1-ylmethyl)butyl] 2,3 dihydrobenzofuran 5 sulfonic acid amide;
- 1-[2-Hydroxy-4-(2-methoxy-3,5-dimethylphenyl)-4-methyl-2-trifluoromethylpentyl]-1*H*-quinolin-4-one;
- 1-[2-Hydroxy-4-(2-methoxy-3,5-dimethylphenyl)-4-methyl-2-trifluoromethylpentyl]-3-methyl-1*H*-quinolin-4-one;
- 1-[2-Hydroxy-4-(2-hydroxy-3,5-dimethylphenyl)-4-methyl-2-trifluoromethylpentyl]-3-methyl-1*H*-quinolin-4-one;

- 1-[4-(3-Acetyl-2-hydroxyphenyl)-2-hydroxy-4-methyl-2-trifluoromethylpentyl]-1*H*-quinolin-4-one;
- 1-[4-(3-Acetyl-2-hydroxyphenyl)-2-hydroxy-4-methyl-2-trifluoromethylpentyl]-3-methyl-1*H*-quinolin-4-one;
- 1-[4-(3-Bromo-2-hydroxyphenyl)-2-hydroxy-4-methyl-2-trifluoromethylpentyl]-1H-quinolin-4-one;
- 1-[2-Hydroxy-4-(2-hydroxybiphenyl-3-yl)-4-methyl-2-trifluoromethylpentyl]-1H-quinolin-4-one;
- 1 (4-Chroman 8-yl-2 hydroxy-4-methyl-2-trifluoromethylpentyl) 1H-quinolin 4 one;
- 1-(4 Chroman 8 yl 2 hydroxy 4 methyl 2 trifluoromethylpentyl) 3 methyl 1H quinolin 4 one;
- 1-[4-(2-Acetyl-5-fluorophenyl)-2-hydroxy-4-methyl-2-trifluoromethylpentyl]-1*H*-quinolin-4-one;
- 1-[4-(5-Fluoro-2-methanesulfonylphenyl)-2-hydroxy-4-methyl-2-trifluoromethylpentyl]-1*H*-quinolin-4-one;
- 4-Fluoro-2-[4,4,4-trifluoro-3-hydroxy-1,1-dimethyl-3-(4-oxo-4*H*-quinolin-1-ylmethyl)butyl]benzenesulfonamide;
- 4-Fluoro-2-[4,4,4-trifluoro-3-hydroxy-1,1-dimethyl-3-(4-oxo-4*H*-quinolin-1-ylmethyl)butyl]benzamide;
- 4-Fluoro-*N*,*N*-dimethyl-2-[4,4,4-trifluoro-3-hydroxy-1,1-dimethyl-3-(4-oxo-4*H*-quinolin-1-ylmethyl)butyl]benzamide;
- 1-[4-(5-Fluoro-2-oxazol-2-ylphenyl)-2-hydroxy-4-methyl-2-trifluoromethylpentyl]-1*H*-quinolin-4-one;

1-[4-(5-Fluoro-2-oxazol-5-ylphenyl)-2-hydroxy-4-methyl-2-trifluoromethylpentyl]-1*H*-quinolin-4-one;

1-[2-Hydroxy-4-(2-hydroxy-3-oxazol-2-ylphenyl)-4-methyl-2-trifluoromethylpentyl]-1*H*-quinolin-4-one;

1-[2-Hydroxy-4-(2-hydroxy-3-oxazol-5-ylphenyl)-4-methyl-2-trifluoromethylpentyl]-1*H*-quinolin-4-one;

{4-[4-(5-Fluoro-2-methoxyphenyl)-2-hydroxy-4-methyl-2-trifluoromethylpentyl]-3,4-dihydro-2*H*-quinoxalin-1-yl} furan-2-ylmethanone;

{4-[4-(5-Fluoro-2-methoxyphenyl)-2-hydroxy-4-methyl-2-trifluoromethylpentyl]-3,4-dihydro-2*H*-quinoxalin-1-yl}thiophen-2-ylmethanone;

{4-[4-(5-Fluoro-2-methoxyphenyl)-2-hydroxy-4-methyl-2-trifluoromethylpentyl]-3,4-dihydro-2*H*-quinoxalin-1-yl}phenylmethanone;

 $\{4-[4-(5-Fluoro-2-methoxyphenyl)-2-hydroxy-4-methyl-2-trifluoromethylpentyl]-3,4-dihydro-2<math>H$ -quinoxalin-1-yl $\}$ - $\{4-fluorophenyl\}$ methanone;

{4-[4-(5-Fluoro-2-methoxyphenyl)-2-hydroxy-4-methyl-2-trifluoromethylpentyl]-3,4-dihydro-2*H*-quinoxalin-1-yl}-(2-fluorophenyl)methanone;

{4-[4-(5-Fluoro-2-methoxyphenyl)-2-hydroxy-4-methyl-2-trifluoromethylpentyl]-3,4-dihydro-2*H*-quinoxalin-1-yl}-(3-fluorophenyl)methanone;

 $\{4-[4-(5-Fluoro-2-hydroxyphenyl)-2-hydroxy-4-methyl-2-trifluoromethylpentyl]-3, 4-dihydro-2H-quinoxalin-1-yl\} furan-2-ylmethanone;$

{4-[4-(5-Fluoro-2-hydroxyphenyl)-2-hydroxy-4-methyl-2-trifluoromethylpentyl]-3,4-dihydro-2*H*-quinoxalin-1-yl}thiophen-2-ylmethanone;

{4-[4-(5-Fluoro-2-hydroxyphenyl)-2-hydroxy-4-methyl-2-trifluoromethylpentyl]-3,4-dihydro-2*H*-quinoxalin-1-yl}phenylmethanone;

{4-[4-(5-Fluoro-2-hydroxyphenyl)-2-hydroxy-4-methyl-2-trifluoromethylpentyl]-3,4-dihydro-2*H*-quinoxalin-1-yl}-(4-fluorophenyl)methanone;

{4-[4-(5-Fluoro-2-hydroxyphenyl)-2-hydroxy-4-methyl-2-trifluoromethylpentyl]-3,4-dihydro-2*H*-quinoxalin-1-yl}-(2-fluorophenyl)methanone;

{4-[4-(5-Fluoro-2-hydroxyphenyl)-2-hydroxy-4-methyl-2-trifluoromethylpentyl]-3,4-dihydro-2*H*-quinoxalin-1-yl}-(3-fluorophenyl)methanone;

1-[4-(5-Fluoro-2-hydroxyphenyl)-2-hydroxy-4-methyl-2-trifluoromethylpentyl]-5,6,7,8-tetrahydro-1*H*-quinolin-4-one;

1 [2 Hydroxy 4 (5 methanesulfonyl 2,3 dihydrobenzofuran 7 yl) 4 methyl 2-trifluoromethylpentyl] 5,6,7,8 tetrahydro 1*H* quinolin 4 one;

1-[4 (2,3-Dihydrobenzofuran 7-yl) 2-hydroxy 4-methyl 2-trifluoromethylpentyl] 5-methyl 5,6,7,8-tetrahydro 1*H*-[1,5]naphthyridin 4-one;

1-[2-Hydroxy 4 (5-methanesulfonyl-2,3-dihydrobenzofuran-7-yl) 4-methyl-2-trifluoromethylpentyl] 5,6,7,8-tetrahydro-1*H*-[1,5]naphthyridin-4-one;

1-[4-(4-Fluoro-3-morpholin-4-ylmethylphenyl)-2-hydroxy-4-methyl-2-trifluoromethylpentyl]-1*H*-quinolin-4-one;

1-[4-(3-Fluoro-4-morpholin-4-ylmethylphenyl)-2-hydroxy-4-methyl-2-trifluoromethylpentyl]-1*H*-quinolin-4-one;

1-[4-(2-{[Ethyl-(2-methoxyethyl)amino]methyl}phenyl)-2-hydroxy-4-methyl-2-trifluoromethylpentyl]-1*H*-quinolin-4-one;

- 2-[4-(3-Chloro-5-trifluoromethylpyridin-2-yl)piperazin-1-ylmethyl]-1,1,1-trifluoro-4-(5-fluoro-2-methoxyphenyl)-4-methylpentan-2-ol;
- {4-[4-(5-Fluoro-2-methoxyphenyl)-2-hydroxy-4-methyl-2-trifluoromethylpentyl]piperazin-1-yl}furan-2-ylmethanone;
- 1-(4-{4-[4-(5-Fluoro-2-methoxyphenyl)-2-hydroxy-4-methyl-2-trifluoromethylpentyl]piperazin-1-yl}phenyl)ethanone;
- 1,1,1-Trifluoro-4-(5-fluoro-2-methoxyphenyl)-2-[4-(4-fluorophenyl)piperazin-1-ylmethyl]-4-methylpentan-2-ol;
- 1,1,1-Trifluoro-4-(5-fluoro-2-methoxyphenyl)-4-methyl-2-(4-phenylpiperazin-1-ylmethyl)pentan-2-ol;
- 2-[4-(2,4-Difluorophenyl)piperazin-1-ylmethyl]-1,1,1-trifluoro-4-(5-fluoro-2-methoxyphenyl)-4-methylpentan-2-ol;
- 4-[4-(5-Fluoro-2-methoxyphenyl)-2-hydroxy-4-methyl-2-trifluoromethylpentyl]piperazine-1-carboxylic acid ethyl ester;
- {4-[4-(5-Fluoro-2-methoxyphenyl)-2-hydroxy-4-methyl-2-trifluoromethylpentyl]piperazin-1-yl}-(tetrahydrofuran-2-yl)methanone;
- 4-[4-(5-Fluoro-2-methoxyphenyl)-2-hydroxy-4-methyl-2-trifluoromethylpentyl]piperazine-1-carboxylic acid benzyl ester;
- 1,1,1-Trifluoro-4-(5-fluoro-2-methoxyphenyl)-4-methyl-2-(4-pyrimidin-2-ylpiperazin-1-ylmethyl)pentan-2-ol;
- 1-[4-(5-Fluoro-2-methoxyphenyl)-2-hydroxy-4-methyl-2-trifluoromethylpentyl]piperidine-3-carboxylic acid amide;

- 4-[4-(5-Fluoro-2-methoxyphenyl)-2-hydroxy-4-methyl-2-trifluoromethylpentyl]-[1,4]diazepane-1-carboxylic acid benzyl ester;
- 1,1,1-Trifluoro-4-(5-fluoro-2-methoxyphenyl)-4-methyl-2-[4-(5-pyrazin-2-yl-[1,3,4]oxadiazol-2-yl)piperidin-1-ylmethyl]pentan-2-ol;
- 1,1,1-Trifluoro-4-(5-fluoro-2-methoxyphenyl)-4-methyl-2-(4-pyridin-2-ylpiperazin-1-ylmethyl)pentan-2-ol;
- 1-[4-(5-Fluoro-2-methoxyphenyl)-2-hydroxy-4-methyl-2-trifluoromethylpentyl]piperidine-4-carboxylic acid methyl ester;
- 4-[4-(5-Fluoro-2-methoxyphenyl)-2-hydroxy-4-methyl-2-trifluoromethylpentyl]piperazin-2-one;
- 1-{1-[4-(5-Fluoro-2-methoxyphenyl)-2-hydroxy-4-methyl-2-trifluoromethylpentyl]piperidin-4-yl}-1,3-dihydrobenzoimidazol-2-one;
- 1,1,1-Trifluoro-4-(5-fluoro-2-methoxyphenyl)-4-methyl-2-(octahydroisoquinolin-2-ylmethyl)pentan-2-ol;
- {4-[4-(5-Fluoro-2-methoxyphenyl)-2-hydroxy-4-methyl-2-trifluoromethylpentyl]piperazin-1-yl}acetic acid ethyl ester;
- 1-[4-(5-Fluoro-2-methoxyphenyl)-2-hydroxy-4-methyl-2-trifluoromethylpentyl]-3,3-dimethyl-2,3-dihydro-1*H*-quinolin-4-one;
- 1-[4-(5-Fluoro-2-hydroxyphenyl)-2-hydroxy-4-methyl-2-trifluoromethylpentyl]-3,3-dimethyl-2,3-dihydro-1*H*-quinolin-4-one;
- 1 [4 (5 Fluoro-2,3 dihydrobenzofuran 7 yl) 2 hydroxy 4 methyl 2 trifluoromethylpentyl] 3,3 dimethyl 2,3 dihydro-1*H* quinolin 4 one;

```
1-[2 Hydroxy 4 (5 methanesulfonyl 2,3 dihydrobenzofuran 7-yl) 4-methyl 2-trifluoromethylpentyl] 3,3 dimethyl 2,3 dihydro 1H quinolin 4 one;
```

1 [4 (2,3 Dihydrobenzofuran 7 yl) 2 hydroxy 4 methyl 2 trifluoromethylpentyl] 3,3 dimethyl 2,3 dihydro 1*H* quinolin 4 one;

1-[4-(5-Fluoro-2-methylphenyl)-2-hydroxy-4-methyl-2-trifluoromethylpentyl]-3,3-dimethyl-2,3-dihydro-1*H*-quinolin-4-one;

1-[4-(2-Acetyl-5-fluorophenyl)-2-hydroxy-4-methyl-2-trifluoromethylpentyl]-3,3-dimethyl-2,3-dihydro-1*H*-quinolin-4-one;

1-[2-Hydroxy-4-(2-methoxy-3,5-dimethylphenyl)-4-methyl-2-trifluoromethylpentyl]-3,3-dimethyl-2,3-dihydro-1*H*-quinolin-4-one;

1-[2-Hydroxy-4-(2-hydroxy-3,5-dimethylphenyl)-4-methyl-2-trifluoromethylpentyl]-3,3-dimethyl-2,3-dihydro-1*H*-quinolin-4-one;

1-[2-Hydroxy-4-(2-hydroxy-5-thiophen-3-ylphenyl)-4-methyl-2-trifluoromethylpentyl]-3,3-dimethyl-2,3-dihydro-1*H*-quinolin-4-one;

1-[4-(3-Ethoxyphenyl)-2-hydroxy-4-methyl-2-trifluoromethylpentyl]-3,3-dimethyl-2,3-dihydro-1*H*-quinolin-4-one;

7-[4,4,4-Trifluoro-3 hydroxy-1,1 dimethyl-3 (3 methyl-4 oxo-4*H*-quinolin-1-ylmethyl)butyl] 2,3 dihydrobenzofuran-5-sulfonic acid dimethylamide;

1-[4-(4-Bromophenyl)-2-hydroxy-4-methyl-2-trifluoromethylpentyl]-3-methyl-1*H*-quinolin-4-one;

4-[4,4,4-Trifluoro-3-hydroxy-1,1-dimethyl-3-(3-methyl-4-oxo-4*H*-quinolin-1-ylmethyl)butyl]benzonitrile;

- 7 [4,4,4 Trifluoro-3-hydroxy-1,1 dimethyl-3 (4 oxo 4H quinolin-1-ylmethyl)butyl] 2,3-dihydrobenzofuran 5 sulfonic acid dimethylamide;
- 1-[4-(4-Bromophenyl)-2-hydroxy-4-methyl-2-trifluoromethylpentyl]-1*H*-quinolin-4-one;
- 4-[4,4,4-Trifluoro-3-hydroxy-1,1-dimethyl-3-(4-oxo-4*H*-quinolin-1-ylmethyl)butyl]benzonitrile;
- 3 Methyl 1 [3,3,3 trifluoro 2 (6 fluoro 4 methylchroman 4 ylmethyl) 2 hydroxypropyl] 1*H*-quinolin 4 one;
- 3 Methyl-1-[3,3,3-trifluoro-2-(6-fluoro-4-methylchroman-4-ylmethyl)-2-hydroxypropyl] 1*H*-[1,5]naphthyridin-4-one;
- 1 [3,3,3 Trifluoro 2 (6 fluoro 4 methylchroman 4 ylmethyl) 2 hydroxypropyl] 1*H* [1,5]naphthyridin 4 one;
- 2-(4-Benzylpiperazin-1-ylmethyl)-1,1,1-trifluoro-4-(5-fluoro-2-methoxyphenyl)-4-methylpentan-2-ol;
- 2-(4-Benzo[1,3]dioxol-5-ylmethylpiperazin-1-ylmethyl)-1,1,1-trifluoro-4-(5-fluoro-2-methoxyphenyl)-4-methylpentan-2-ol;
- 1,1,1-Trifluoro-4-(5-fluoro-2-methoxyphenyl)-4-methyl-2-(2-methylpiperidin-1-ylmethyl)pentan-2-ol;
- 1,1,1-Trifluoro-4-(5-fluoro-2-methoxyphenyl)-4-methyl-2-(4-trifluoromethylpiperidin-1-ylmethyl)pentan-2-ol;
- 1,1,1-Trifluoro-4-(5-fluoro-2-methoxyphenyl)-2-[4-(4-fluorophenyl)piperidin-1-ylmethyl]-4-methylpentan-2-ol;
- 2-[4-(4-Bromophenyl)piperidin-1-ylmethyl]-1,1,1-trifluoro-4-(5-fluoro-2-methoxyphenyl)-4-methylpentan-2-ol;

- 1,1,1-Trifluoro-4-(5-fluoro-2-methoxyphenyl)-4-methyl-2-(4-methylpiperidin-1-ylmethyl)pentan-2-ol;
- 4-[4-(5-Fluoro-2-methoxyphenyl)-2-hydroxy-4-methyl-2-trifluoromethylpentyl]-[1,4]diazepane-1-carboxylic acid *tert*-butyl ester;
- 4-[4-(5-Fluoro-2-methoxyphenyl)-2-hydroxy-4-methyl-2-trifluoromethylpentyl]piperazine-1-carboxylic acid *tert*-butyl ester;
- 1,1,1-Trifluoro-4-(5-fluoro-2-methoxyphenyl)-2-[4-(2-methoxyphenyl)piperazin-1-ylmethyl]-4-methylpentan-2-ol;
- 1,1,1-Trifluoro-4-(5-fluoro-2-methoxyphenyl)-4-methyl-2-(4-pyrrolidin-1-ylpiperidin-1-ylmethyl)pentan-2-ol;
- 2-[1,4']Bipiperidinyl-1'-ylmethyl-1,1,1-trifluoro-4-(5-fluoro-2-methoxyphenyl)-4-methylpentan-2-ol;
- 2-[4-(2-Ethoxyethyl)piperazin-1-ylmethyl]-1,1,1-trifluoro-4-(5-fluoro-2-methoxyphenyl)-4-methylpentan-2-ol;
- 1,1,1-Trifluoro-4-(5-fluoro-2-methoxyphenyl)-2-[4-(2-methoxyethyl)piperazin-1-ylmethyl]-4-methylpentan-2-ol;
- 2-(4-Benzylpiperidin-1-ylmethyl)-1,1,1-trifluoro-4-(5-fluoro-2-methoxyphenyl)-4-methylpentan-2-ol;
- 1-[4-(5-Fluoro-2-methoxyphenyl)-2-hydroxy-4-methyl-2-trifluoromethylpentyl]piperidine-3-carboxylic acid diethylamide;
- 1-[4-(5-Fluoro-2-methoxyphenyl)-2-hydroxy-4-methyl-2-trifluoromethylpentyl]piperidine-3-carboxylic acid ethyl ester;

- 1-{1-[4-(5-Fluoro-2-methoxyphenyl)-2-hydroxy-4-methyl-2-trifluoromethylpentyl]piperidin-4-yl}-1,3-dihydroindol-2-one;
- 1,1,1-Trifluoro-4-(5-fluoro-2-methoxyphenyl)-4-methyl-2-(4-phenylpiperidin-1-ylmethyl)pentan-2-ol;
- 2-(4-Benzylpiperidin-1-ylmethyl)-1,1,1-trifluoro-4-(5-fluoro-2-methoxyphenyl)-4-methylpentan-2-ol;
- 1,1,1-Trifluoro-4-(5-fluoro-2-methoxyphenyl)-2-[4-(1*H*-indol-2-yl)piperidin-1-ylmethyl]-4-methylpentan-2-ol;
- 5-Chloro-1-{1-[4-(5-fluoro-2-methoxyphenyl)-2-hydroxy-4-methyl-2-trifluoromethylpentyl]piperidin-4-yl}-1,3-dihydrobenzoimidazol-2-one;
- {1-[4-(5-Fluoro-2-methoxyphenyl)-2-hydroxy-4-methyl-2-trifluoromethylpentyl]piperidin-4-yl}acetic acid ethyl ester;
- 2-[4-(2,4-Dimethylphenyl)piperazin-1-ylmethyl]-1,1,1-trifluoro-4-(5-fluoro-2-methoxyphenyl)-4-methylpentan-2-ol;
- 2-(4-Benzyl-[1,4]diazepan-1-ylmethyl)-1,1,1-trifluoro-4-(5-fluoro-2-methoxyphenyl)-4-methylpentan-2-ol;
- 4-[4-(5-Fluoro-2-methoxyphenyl)-2-hydroxy-4-methyl-2-trifluoromethylpentyl]piperazine-1-carbaldehyde;
- 4-[4-(5-Fluoro-2-methoxyphenyl)-2-hydroxy-4-methyl-2-trifluoromethylpentyl]-3-methoxycarbonylmethylpiperazine-1-carboxylic acid *tert*-butyl ester;
- 2-(4-*tert*-Butylpiperazin-1-ylmethyl)-1,1,1-trifluoro-4-(5-fluoro-2-methoxyphenyl)-4-methylpentan-2-ol;

2-(3-Dimethylaminopyrrolidin-1-ylmethyl)-1,1,1-trifluoro-4-(5-fluoro-2-methoxyphenyl)-4-methylpentan-2-ol;

1,1,1-Trifluoro-4-(5-fluoro-2-methoxyphenyl)-4-methyl-2-pyrrolidin-1-ylmethylpentan-2-ol;

1,1,1-Trifluoro-4-(5-fluoro-2-methoxyphenyl)-4-methyl-2-piperidin-1-ylmethylpentan-2-ol;

Carbonic acid ethyl ester 4-fluoro-2-[4,4,4-trifluoro-3-hydroxy-1,1-dimethyl-3-(4-oxo-4*H*-quinolin-1-ylmethyl)butyl]phenyl ester;

Ethylcarbamic acid 4-fluoro-2-[4,4,4-trifluoro-3-hydroxy-1,1-dimethyl-3-(4-oxo-4*H*-quinolin-1-ylmethyl)butyl]phenyl ester;

Ethylcarbamic acid 4-fluoro-2-[4,4,4-trifluoro-3-hydroxy-1,1-dimethyl-3-(3-methyl-4-oxo-4*H*-quinolin-1-ylmethyl)butyl]phenyl ester;

Ethylcarbamic acid 2-[3-(3,3-dimethyl-4-oxo-3,4-dihydro-2*H*-quinolin-1-ylmethyl)-4,4,4-trifluoro-3-hydroxy-1,1-dimethylbutyl]-4-fluorophenyl ester;

Methylcarbamic acid 2-[4,4,4-trifluoro-3-hydroxy-1,1-dimethyl-3-(4-oxo-4*H*-quinolin-1-ylmethyl)butyl]phenyl ester;

Carbonic acid 2-[3-(3,5-dimethyl-4-oxo-4*H*-pyridin-1-ylmethyl)-4,4,4-trifluoro-3-hydroxy-1,1-dimethylbutyl]-4-fluorophenyl ester methyl ester;

Methylcarbamic acid 2-[3-(3,5-dimethyl-4-oxo-4*H*-pyridin-1-ylmethyl)-4,4,4-trifluoro-3-hydroxy-1,1-dimethylbutyl]-4-fluorophenyl ester;

Cyclopropylcarbamic acid 2-[4,4,4-trifluoro-3-hydroxy-1,1-dimethyl-3-(4-oxo-4*H*-quinolin-1-ylmethyl)butyl]phenyl ester;

1-Cyclopropyl-3-{2-[4,4,4-trifluoro-3-hydroxy-1,1-dimethyl-3-(4-oxo-4*H*-quinolin-1-ylmethyl)butyl]phenyl}urea;

1-Cyclopropyl-3-{2-[4,4,4-trifluoro-3-hydroxy-1,1-dimethyl-3-(3-methyl-4-oxo-4*H*-quinolin-1-ylmethyl)butyl]phenyl}urea;

1-Methyl-3-{2-[4,4,4-trifluoro-3-hydroxy-1,1-dimethyl-3-(3-methyl-4-oxo-4*H*-quinolin-1-ylmethyl)butyl]phenyl}urea;

1-{2-[3-(3,3-Dimethyl-4-oxo-3,4-dihydro-2*H*-quinolin-1-ylmethyl)-4,4,4-trifluoro-3-hydroxy-1,1-dimethylbutyl]phenyl}-3-methylurea;

1-(2,2,3,3-Tetramethylcyclopropyl)-3-{2-[4,4,4-trifluoro-3-hydroxy-1,1-dimethyl-3-(4-oxo-4*H*-quinolin-1-ylmethyl)butyl]phenyl}urea;

(2,2,3,3-Tetramethylcyclopropyl)carbamic acid 2-[4,4,4-trifluoro-3-hydroxy-1,1-dimethyl-3-(4-oxo-4*H*-quinolin-1-ylmethyl)butyl]phenyl ester;

Dimethylcarbamic acid 2-[4,4,4-trifluoro-3-hydroxy-1,1-dimethyl-3-(4-oxo-4*H*-quinolin-1-ylmethyl)butyl]phenyl ester;

Dimethylcarbamic acid 2-[4,4,4-trifluoro-3-hydroxy-1,1-dimethyl-3-(3-methyl-4-oxo-4*H*-quinolin-1-ylmethyl)butyl]phenyl ester;

Pyrrolidine-1-carboxylic acid 2-[4,4,4-trifluoro-3-hydroxy-1,1-dimethyl-3-(4-oxo-4*H*-quinolin-1-ylmethyl)butyl]phenyl ester;

Pyrrolidine-1-carboxylic acid 2-[3-(3,3-dimethyl-4-oxo-3,4-dihydro-2*H*-quinolin-1-ylmethyl)-4,4,4-trifluoro-3-hydroxy-1,1-dimethylbutyl]phenyl ester;

1-[2-Hydroxy-4-(2-methoxy-5-pyridin-3-ylphenyl)-4-methyl-2-trifluoromethylpentyl]-1*H*-quinolin-4-one;

1-[2-Hydroxy-4-(2-hydroxy-3,5-dimethylphenyl)-4-methyl-2-trifluoromethylpentyl]-1*H*-quinolin-4-one;

1-[4-(3-[1,3]Dioxan-2-yl-4-fluorophenyl)-2-hydroxy-4-methyl-2-trifluoromethylpentyl]-1*H*-quinolin-4-one;

1-[2-Hydroxy-4-(2-methoxy-5-pyrimidin-5-ylphenyl)-4-methyl-2-trifluoromethylpentyl]-1*H*-quinolin-4-one;

1-[4-(4-[1,3]Dioxan-2-yl-3-fluorophenyl)-2-hydroxy-4-methyl-2-trifluoromethylpentyl]-1*H*-quinolin-4-one;

1-[2-Hydroxy-4-(2-hydroxy-5-pyridin-3-ylphenyl)-4-methyl-2-trifluoromethylpentyl]-1*H*-quinolin-4-one;

 $1-[2-Hydroxy-4-(2-hydroxy-5-pyrimidin-5-ylphenyl)-4-methyl-2-trifluoromethylpentyl]-1 \textit{H-quinolin-4-one}; \underline{and}$

Carbonic acid 4-fluoro-2-[4,4,4-trifluoro-3-hydroxy-1,1-dimethyl-3-(4-oxo-4*H*-quinolin-1-ylmethyl)butyl]phenyl ester methyl ester.;

1 [4 (2,3 Dihydrobenzofuran 7 yl) 2 hydroxy 4 methyl 2 trifluoromethylpentyl] 3 methyl-1H [1,5]naphthyridin 4 one; and

1 (4 Benzo[1,3]dioxol 4 yl 2 hydroxy 4 methyl 2 trifluoromethylpentyl) 3 methyl 1*H* [1,5]naphthyridin 4 one,

or a tautomer, prodrug, solvate, or salt thereof.

6. (currently amended) A compound according to claim 5, the compound selected from:

Preferred compounds of Formula (IA) include the following:

4-[4-(5-Fluoro-2-methoxyphenyl)-2-hydroxy-4-methyl-2-trifluoromethylpentyl]-2,6-dimethylpiperazine-1-carbaldehyde;

- 2-(1,1-Dioxo-2,3-dihydro-1*H*-1 λ^6 -benzo[1,4]thiazin-4-ylmethyl)-1,1,1-trifluoro-4-(5-fluoro-2-methoxyphenyl)-4-methylpentan-2-ol;
- 2-(2,6-Dimethylmorpholin-4-ylmethyl)-1,1,1-trifluoro-4-(5-fluoro-2-methoxyphenyl)-4-methylpentan-2-ol;
- 2-(2,3-Dihydrobenzo[1,4]oxazin-4-ylmethyl)-1,1,1-trifluoro-4-(5-fluoro-2-methoxyphenyl)-4-methylpentan-2-ol;
- 1-[4-(5-Fluoro-2-methoxyphenyl)-2-hydroxy-4-methyl-2-trifluoromethylpentyl]-1*H*-quinolin-4-one;
- 1-[4-(5-Fluoro-2-methoxyphenyl)-2-hydroxy-4-methyl-2-trifluoromethylpentyl]-3,5-dimethylpiperidin-4-one;
- 1-[4-(5-Fluoro-2-methoxyphenyl)-2-hydroxy-4-methyl-2-trifluoromethylpentyl]-1*H*-cinnolin-4-one;
- 1-[4-(5-Fluoro-2-methoxyphenyl)-2-hydroxy-4-methyl-2-trifluoromethylpentyl]-3-methyl-1*H*-quinolin-4-one;
- 1-[4-(5-Fluoro-2-methoxyphenyl)-2-hydroxy-4-methyl-2-trifluoromethylpentyl]-2,3-dihydro-1*H*-quinolin-4-one;
- 1-[4-(4-Fluorophenyl)-2-hydroxy-4-methyl-2-trifluoromethylpentyl]-1*H*-quinolin-4-one;
- 1-[4-(3-Fluorophenyl)-2-hydroxy-4-methyl-2-trifluoromethylpentyl]-1*H*-quinolin-4-one;
- 1-[4-(3-Fluoro-4-methylphenyl)-2-hydroxy-4-methyl-2-trifluoromethylpentyl]-1*H*-quinolin-4-one;
- 1-[4-(4-Fluoro-2-hydroxyphenyl)-2-hydroxy-4-methyl-2-trifluoromethylpentyl]-1*H*-quinolin-4-one;

- 1-[4-Phenyl-2-hydroxy-4-methyl-2-trifluoromethylpentyl]-1*H*-quinolin-4-one;
- 1 [4 (5 Fluoro 2,3 dihydrobenzofuran 7 yl) 2 hydroxy 4 methyl 2 trifluoromethylpentyl] 1*H* quinolin 4 one;
- 1-[4 (5-Bromo 2,3-dihydrobenzofuran 7-yl) 2-hydroxy 4-methyl-2-trifluoromethylpentyl]-1*H*-quinolin 4-one;
- 1-[4 (5 Methyl-2,3-dihydrobenzofuran 7 yl) 2-hydroxy 4-methyl-2-trifluoromethylpentyl]-1*H*-quinolin 4-one;
- 1-[4-(5-Chloro-2,3-dihydrobenzofuran-7-yl)-2-hydroxy-4-methyl-2-trifluoromethylpentyl]-1*H*-quinolin-4-one;
- 1 [4 (2,3 Dihydrobenzofuran 7 yl) 2 hydroxy 4 methyl 2 trifluoromethylpentyl] 1*H*-quinolin 4 one;
- 1-[4-(5-Fluoro-2-hydroxyphenyl)-2-hydroxy-4-methyl-2-trifluoromethylpentyl]-1*H*-[1,5]naphthyridin-4-one;
- 1-[4-(5-Fluoro-2-methoxyphenyl)-2-hydroxy-2,4-dimethylpentyl]-3,5-dimethyl-1*H*-pyridin-4-one;
- 1-[4-(5-Fluoro-2-methoxyphenyl)-2-hydroxy-4-methyl-2-trifluoromethylpentyl]-1*H*-[1,5]naphthyridin-4-one;
- 1,1,1-Trifluoro-4-(5-fluoro-2-methoxyphenyl)-4-methyl-2-(1-oxo-2,3-dihydro-1H-1 λ^4 -benzo[1,4]thiazin-4-ylmethyl)pentan-2-ol;
- 1-[2-Hydroxy-4-(2-methoxy-5-thiophen-2-ylphenyl)-4-methyl-2-trifluoromethylpentyl]-1*H*-quinolin-4-one;
- 1-[4 (6 Bromobenzo[1,3]dioxol 4 yl) 2 hydroxy 4 methyl 2 trifluoromethylpentyl] 1H-quinolin 4 one;

1-[4-(5-Fluoro-2-hydroxyphenyl)-2-hydroxy-4-methyl-2-trifluoromethylpentyl]-3-methyl-1*H*-quinolin-4-one;

1-[2-Hydroxy-4-(4-hydroxybiphenyl-3-yl)-4-methyl-2-trifluoromethylpentyl]-1*H*-quinolin-4-one;

1-{4-[5-(3,5-Dimethylisoxazol-4-yl)-2-hydroxyphenyl]-2-hydroxy-4-methyl-2-trifluoromethylpentyl}-1*H*-quinolin-4-one;

1-[2-Hydroxy-4-(2-hydroxy-5-thiophen-3-ylphenyl)-4-methyl-2-trifluoromethylpentyl]-1*H*-quinolin-4-one;

1-{4-[5-(3,5-Dimethylisoxazol-4-yl)-2-methoxyphenyl]-2-hydroxy-4-methyl-2-trifluoromethylpentyl}-1*H*-quinolin-4-one;

1-[4-(5-Fluoro-2-methylphenyl)-2-hydroxy-4-methyl-2-trifluoromethylpentyl]-1*H*-[1,5]naphthyridin-4-one;

1 [2 Hydroxy 4 (5 methanesulfonyl 2,3 dihydrobenzofuran 7 yl) 4 methyl 2 trifluoromethylpentyl] 1*H* [1,5]naphthyridin 4 one;

1-[2-Hydroxy-4-methyl-4-(3-pyridin-3-ylphenyl)-2-trifluoromethylpentyl]-1*H*-quinolin-4-one;

1-[2-Hydroxy-4-(2-hydroxy-5-morpholin-4-ylmethylphenyl)-4-methyl-2-trifluoromethylpentyl]-1*H*-quinolin-4-one;

1-[2-Hydroxy-4-(2-methoxy-5-morpholin-4-ylmethylphenyl)-4-methyl-2-trifluoromethylpentyl]-1*H*-quinolin-4-one;

1-[2-Hydroxy-4-(5-hydroxymethyl-2-methoxyphenyl)-4-methyl-2-trifluoromethylpentyl]-1*H*-quinolin-4-one;

4-Methoxy-3-[4,4,4-trifluoro-3-hydroxy-1,1-dimethyl-3-(4-oxo-4*H*-quinolin-1-ylmethyl)butyl]benzaldehyde;

1-[4-(5-[1,3]Dioxan-2-yl-2-methoxyphenyl)-2-hydroxy-4-methyl-2-trifluoromethylpentyl]-1*H*-quinolin-4-one;

1-[2-Hydroxy-4-(2-methoxy-5-thiophen-3-ylphenyl)-4-methyl-2-trifluoromethylpentyl]-1*H*-quinolin-4-one;

1-[4-(5-Furan-3-yl-2-methoxyphenyl)-2-hydroxy-4-methyl-2-trifluoromethylpentyl]-1*H*-quinolin-4-one;

1-[4-(5-Fluoro-2-hydroxyphenyl)-2-hydroxy-4-methyl-2-trifluoromethylpentyl]-1*H*-quinazolin-4-one;

1-[2-Hydroxy-4-(4-methoxybiphenyl-3-yl)-4-methyl-2-trifluoromethylpentyl]-1*H*-quinolin-4-one;

1-[4-(5-Acetyl-2-hydroxyphenyl)-2-hydroxy-4-methyl-2-trifluoromethylpentyl]-1*H*-quinolin-4-one;

1 [3,3,3 Trifluoro 2 (6 fluoro 4 methylchroman 4 ylmethyl) 2 hydroxypropyl] 1*H* quinolin 4 one;

1-(4-{3-[1-(Benzyloxyimino)ethyl]phenyl}-2-hydroxy-4-methyl-2-trifluoromethylpentyl)-1*H*-quinolin-4-one;

1-[4-(3-Cyclopropanecarbonylphenyl)-2-hydroxy-4-methyl-2-trifluoromethylpentyl]-1*H*-quinolin-4-one;

1-[4-(5-Acetyl-2-methoxyphenyl)-2-hydroxy-4-methyl-2-trifluoromethylpentyl]-1*H*-quinolin-4-one;

- 1-(2-Hydroxy-4-{3-[1-(methoxyimino)ethyl]phenyl}-4-methyl-2-trifluoromethylpentyl)-1*H*-quinolin-4-one;
- 1-[4-(5-Bromo-2-hydroxyphenyl)-2-hydroxy-4-methyl-2-trifluoromethylpentyl]-1*H*-quinolin-4-one;
- 1-(2-Hydroxy-4-{3-[1-(hydroxyimino)ethyl]phenyl}-4-methyl-2-trifluoromethylpentyl)-1*H*-quinolin-4-one;
- 1-[4-(5-Bromo-2-methoxyphenyl)-2-hydroxy-4-methyl-2-trifluoromethylpentyl]-1*H*-quinolin-4-one;
- 1-[4-(3,5-Difluorophenyl)-2-hydroxy-4-methyl-2-trifluoromethylpentyl]-1*H*-quinolin-4-one;
- 1-[4-(3,5-Dimethylphenyl)-2-hydroxy-4-methyl-2-trifluoromethylpentyl]-1*H*-quinolin-4-one;
- 1-{2-Hydroxy-4-methyl-4-[3-(2-methyl-[1,3]dioxolan-2-yl)phenyl]-2-trifluoromethylpentyl}-1*H*-quinolin-4-one;
- 1-[4 (2,3-Dihydrobenzofuran 7-yl)-2-hydroxy 4-methyl 2-trifluoromethylpentyl] 2-hydroxymethyl-3,5-dimethyl-1*H*-pyridin 4-one;
- 1-[4 (2,3-Dihydrobenzofuran 7-yl) 2-hydroxy 4 methyl 2-trifluoromethylpentyl] 1*H*-[1,5]naphthyridin 4-one;
- 1-[2-Hydroxy-4-(3-hydroxymethylphenyl)-4-methyl-2-trifluoromethylpentyl]-1*H*-quinolin-4-one;
- 1-[4-(3-[1,3]Dioxan-2-ylphenyl)-2-hydroxy-4-methyl-2-trifluoromethylpentyl]-1*H*-quinolin-4-one;
- 1-[4-(3-Acetylphenyl)-2-hydroxy-4-methyl-2-trifluoromethylpentyl]-1H-quinolin-4-one;

1-{4-[3-(3,5-Dimethylisoxazol-4-yl)phenyl]-2-hydroxy-4-methyl-2-trifluoromethylpentyl}-1*H*-quinolin-4-one;

1-[4-(5-Fluoro-2-methylphenyl)-2-hydroxy-4-methyl-2-trifluoromethylpentyl]-3,5-dimethyl-1*H*-pyridin-4-one;

1-{2-Hydroxy-4-[3-(1-hydroxyethyl)phenyl]-4-methyl-2-trifluoromethylpentyl}-1*H*-quinolin-4-one;

1-[4-(2,3-Dihydrobenzofuran-7-yl)-2-hydroxy-4-methyl-2-trifluoromethylpentyl]-3,5-dimethyl-1*H*-pyridin-4-one;

1-[4-(5-Fluoro-2-hydroxyphenyl)-2-hydroxy-4-methyl-2-trifluoromethylpentyl]-2-hydroxymethyl-3,5-dimethyl-1*H*-pyridin-4-one;

3-[4,4,4-Trifluoro-3-hydroxy-1,1-dimethyl-3-(4-oxo-4*H*-quinolin-1-ylmethyl)butyl]benzaldehyde;

1-[4-(5-Fluoro-2-methoxyphenyl)-2-hydroxy-4-methyl-2-trifluoromethylpentyl]-2-hydroxymethyl-3,5-dimethyl-1*H*-pyridin-4-one;

1-[4-(5-Fluoro-2-hydroxyphenyl)-2-hydroxy-4-methyl-2-trifluoromethylpentyl]-3-hydroxymethyl-1*H*-quinolin-4-one;

1-[4-(3-Bromophenyl)-2-hydroxy-4-methyl-2-trifluoromethylpentyl]-1*H*-quinolin-4-one;

1-[4-(5-Fluoro-2-hydroxyphenyl)-2-hydroxy-4-methyl-2-trifluoromethylpentyl]-7-hydroxy-1*H*-quinolin-4-one;

1-[4-(5-Fluoro-2-methoxyphenyl)-2-hydroxy-4-methyl-2-trifluoromethylpentyl]-6-methyl-1*H*-quinolin-4-one;

1-[4-(5-Fluoro-2-methoxyphenyl)-2-hydroxy-4-methyl-2-trifluoromethylpentyl]-3-hydroxymethyl-1*H*-quinolin-4-one;

6-Chloro-1-[4-(5-fluoro-2-hydroxyphenyl)-2-hydroxy-4-methyl-2-trifluoromethylpentyl]-1*H*-quinolin-4-one;

1-[-4-(2-Difluoromethoxy-5-fluorophenyl)-2-hydroxy-4-methyl-2-trifluoromethylpentyl]-1*H*-quinolin-4-one;

1-(4-Biphenyl-3-yl-2-hydroxy-4-methyl-2-trifluoromethylpentyl)-1*H*-quinolin-4-one;

6-Chloro-1-[4-(5-fluoro-2-methoxyphenyl)-2-hydroxy-4-methyl-2-trifluoromethylpentyl]-1*H*-quinolin-4-one;

1-[2-Hydroxy-4-(2-hydroxy-5-methylphenyl)-4-methyl-2-trifluoromethylpentyl]-1*H*-quinolin-4-one;

 $1-\{2-Hydroxy-4-methyl-4-[3-(2-oxopropoxy)phenyl]-2-trifluoromethylpentyl\}-1$ *H*-quinolin-4-one;

1-[2-Hydroxy-4-(3-isopropoxyphenyl)-4-methyl-2-trifluoromethylpentyl]-1*H*-quinolin-4-one;

1-[4-(3-Ethoxyphenyl)-2-hydroxy-4-methyl-2-trifluoromethylpentyl]-1*H*-quinolin-4-one;

1-[2-Hydroxy-4-(2-methoxy-5-methylphenyl)-4-methyl-2-trifluoromethylpentyl]-1*H*-quinolin-4-one;

 $1-[4-(2,5-Dimethylphenyl)-2-hydroxy-4-methyl-2-trifluoromethylpentyl]-1 \\ H-quinolin-4-one;$

 $1\hbox{-}[2\hbox{-}Hydroxy\hbox{-}4\hbox{-}(3\hbox{-}hydroxyphenyl)\hbox{-}4\hbox{-}methyl\hbox{-}2\hbox{-}trifluoromethylpentyl}]\hbox{-}1H\hbox{-}quinolin\hbox{-}4\hbox{-}one;$

1-[2-Hydroxy-4-(3-methoxyphenyl)-4-methyl-2-trifluoromethylpentyl]-1*H*-quinolin-4-one;

1-[4-(5-Fluoro-2-hydroxyphenyl)-2-hydroxy-4-methyl-2-trifluoromethylpentyl]-1,2-dihydroindazol-3-one;

7-Fluoro-1-[4-(5-fluoro-2-hydroxyphenyl)-2-hydroxy-4-methyl-2-trifluoromethylpentyl]-1*H*-quinolin-4-one;

1-[4-(5-Fluoro-2-hydroxyphenyl)-2-hydroxy-4-methyl-2-trifluoromethylpentyl]-3,5-dimethyl-1*H*-pyridin-4-one;

7-Fluoro-1-[4-(5-fluoro-2-methoxyphenyl)-2-hydroxy-4-methyl-2-trifluoromethylpentyl]-1*H*-quinolin-4-one;

1-(2-Hydroxy-4-methyl-4-phenyl-2-trifluoromethylhexyl)-1*H*-quinolin-4-one;

1-[4-(4-Fluoro-2-methylphenyl)-2-hydroxy-4-methyl-2-trifluoromethylpentyl]-1*H*-quinolin-4-one;

 $1-[4-(3,4-Dimethylphenyl)-2-hydroxy-4-methyl-2-trifluoromethylpentyl]-1 \\ H-quinolin-4-one;$

8-Fluoro-1-[4-(5-fluoro-2-hydroxyphenyl)-2-hydroxy-4-methyl-2-trifluoromethylpentyl]-1*H*-quinolin-4-one;

6-Fluoro-1-[4-(5-fluoro-2-hydroxyphenyl)-2-hydroxy-4-methyl-2-trifluoromethylpentyl]-1*H*-quinolin-4-one;

1-{4-[5-Fluoro-2-(2-oxopropoxy)phenyl]-2-hydroxy-4-methyl-2-trifluoromethylpentyl}-1*H*-quinolin-4-one;

7-Chloro-1-[4-(5-fluoro-2-hydroxyphenyl)-2-hydroxy-4-methyl-2-trifluoromethylpentyl]-1*H*-quinolin-4-one;

1-[4-(5-Fluoro-2-isopropoxyphenyl)-2-hydroxy-4-methyl-2-trifluoromethylpentyl]-1*H*-quinolin-4-one;

1-[4-(2-Benzyloxy-5-fluorophenyl)-2-hydroxy-4-methyl-2-trifluoromethylpentyl]-1*H*-quinolin-4-one;

- 1-[4-(2-Ethoxy-5-fluorophenyl)-2-hydroxy-4-methyl-2-trifluoromethylpentyl]-1*H*-quinolin-4-one;
- 8-Fluoro-1-[4-(5-fluoro-2-methoxyphenyl)-2-hydroxy-4-methyl-2-trifluoromethylpentyl]-1*H*-quinolin-4-one;
- 6-Fluoro-1-[4-(5-fluoro-2-methoxyphenyl)-2-hydroxy-4-methyl-2-trifluoromethylpentyl]-1*H*-quinolin-4-one;
- 1-[2-Hydroxy 4 (5-methanesulfonyl-2,3-dihydrobenzofuran 7-yl) 4-methyl-2-trifluoromethylpentyl] 1*H*-quinolin 4-one;
- 1-[2-Hydroxy 4-(5-methanesulfinyl-2,3-dihydrobenzofuran-7-yl) 4-methyl-2-trifluoromethylpentyl]-1*H*-quinolin-4-one;
- 1-[2-Hydroxy-4-methyl-4-(5-methylsulfanyl-2,3-dihydrobenzofuran-7-yl)-2-trifluoromethylpentyl] 1*H*-quinolin-4-one;
- 7-Chloro-1-[4-(5-fluoro-2-methoxyphenyl)-2-hydroxy-4-methyl-2-trifluoromethylpentyl]-1*H*-quinolin-4-one;
- 1-[4-(3-Fluoro-4-hydroxyphenyl)-2-hydroxy-4-methyl-2-trifluoromethylpentyl]-1*H*-quinolin-4-one;
- $1-[4-(5-Fluoro-2-methoxyphenyl)-2-hydroxy-4-methyl-2-trifluoromethylpentyl]-3-nitro-5-trifluoromethyl-1 \emph{H-pyridin-2-one};$
- 3-Chloro-1-[4-(5-fluoro-2-methoxyphenyl)-2-hydroxy-4-methyl-2-trifluoromethylpentyl]-5-trifluoromethyl-1*H*-pyridin-2-one;
- 2-(2,3-Dihydroindol-1-ylmethyl)-1,1,1-trifluoro-4-(5-fluoro-2-methoxyphenyl)-4-methylpentan-2-ol;

1-[2-Hydroxy-4-methyl-4-(3-morpholin-4-ylmethylphenyl)-2-trifluoromethylpentyl]-1*H*-quinolin-4-one;

{4-[4-(5-Fluoro-2-hydroxyphenyl)-2-hydroxy-4-methyl-2-trifluoromethylpentyl]piperazin-1-yl}furan-2-ylmethanone;

1-[2-Hydroxy 4-(5-methanesulfonyl-2,3-dihydrobenzofuran-7-yl) 4-methyl-2-trifluoromethylpentyl] 3-methyl-1*H*-quinolin-4-one;

2-[4-(3-Chloro-5-trifluoromethylpyridin-2-yl)piperazin-1-ylmethyl]-1,1,1-trifluoro-4-(5-fluoro-2-methoxyphenyl)-4-methylpentan-2-ol;

{4-[4-(5-Fluoro-2-methoxyphenyl)-2-hydroxy-4-methyl-2-trifluoromethylpentyl]piperazin-1-yl}furan-2-ylmethanone;

1-[2-Hydroxy-4-(2-methoxy-5-pyridin-3-ylphenyl)-4-methyl-2-trifluoromethylpentyl]-1*H*-quinolin-4-one;

1-[2-Hydroxy-4-(2-hydroxy-3,5-dimethylphenyl)-4-methyl-2-trifluoromethylpentyl]-1*H*-quinolin-4-one;

1-[4-(3-[1,3]Dioxan-2-yl-4-fluorophenyl)-2-hydroxy-4-methyl-2-trifluoromethylpentyl]-1*H*-quinolin-4-one;

1-[2-Hydroxy-4-(2-methoxy-5-pyrimidin-5-ylphenyl)-4-methyl-2-trifluoromethylpentyl]-1*H*-quinolin-4-one;

1-[4-(5-Fluoro-2-hydroxyphenyl)-2-hydroxy-4-methyl-2-trifluoromethylpentyl]-1*H*-quinolin-4-one;

1-[4-(5-Fluoro-2-methylphenyl)-2-hydroxy-4-methyl-2-trifluoromethylpentyl]-1*H*-quinolin-4-one;

- 1-[4-(2,4-dimethylphenyl)-2-hydroxy-4-methyl-2-trifluoromethylpentyl]-1*H*-quinolin-4-one;
- 1-[4-(4-Fluoro-2-methoxyphenyl)-2-hydroxy-4-methyl-2-trifluoromethylpentyl]-1*H*-quinolin-4-one;
- 1-[4-(3-Fluoro-4-methoxyphenyl)-2-hydroxy-4-methyl-2-trifluoromethylpentyl]-1*H*-quinolin-4-one;
- 1 (4 Benzo[1,3]dioxol 4 yl 2 hydroxy 4 methyl 2 trifluoromethylpentyl) 1H quinolin 4 one;
- 1-[4-(5-Fluoro-2-methoxyphenyl)-2-hydroxy-4-methyl-2-trifluoromethylpentyl]-1,2-dihydroindazol-3-one;
- 2-(3,4-Dihydro-2*H*-quinoxalin-1-ylmethyl)-1,1,1-trifluoro-4-(5-fluoro-2-methoxyphenyl)-4-methylpentan-2-ol;
- 1,1,1 Trifluoro 4 (5 fluoro 2 methoxyphenyl) 4 methyl 2 (4 methyl 3,4 dihydro 2*H*-quinoxalin 1 ylmethyl)pentan 2 ol;
- 2-(2,3-Dihydrobenzo[1,4]thiazin-4-ylmethyl)-1,1,1-trifluoro-4-(5-fluoro-2-methoxyphenyl)-4-methylpentan-2-ol;
- 1-{4-[4-(5-Fluoro-2-methoxyphenyl)-2-hydroxy-4-methyl-2-trifluoromethylpentyl]-3,4-dihydro-2*H*-quinoxalin-1-yl} ethanone;
- 1-[2-Hydroxy-4-(2-hydroxy-5-thiophen-3-ylphenyl)-4-methyl-2-trifluoromethylpentyl]-1*H*-quinolin-4-one;
- 1-[4 (2,3-Dihydrobenzofuran-7-yl)-2-hydroxy-4-methyl-2-trifluoromethylpentyl]-3-methyl-1*H*-quinolin-4-one;
- 1-[2-Hydroxy-4-(2-methoxy-3,5-dimethylphenyl)-4-methyl-2-trifluoromethylpentyl]-1*H*-quinolin-4-one;

1-[2-Hydroxy-4-(2-hydroxy-5-pyridin-3-ylphenyl)-4-methyl-2-trifluoromethylpentyl]-1*H*-quinolin-4-one;

1-[2-Hydroxy-4-(2-hydroxy-5-pyrimidin-5-ylphenyl)-4-methyl-2-trifluoromethylpentyl]-1*H*-quinolin-4-one; and

Carbonic acid 4-fluoro-2-[4,4,4-trifluoro-3-hydroxy-1,1-dimethyl-3-(4-oxo-4*H*-quinolin-1-ylmethyl)butyl]phenyl ester methyl ester,

or a tautomer, prodrug, solvate, or salt thereof.

7. (currently amended) A compound according to claim 6, the compound selected from:

2-(2,6-Dimethylmorpholin-4-ylmethyl)-1,1,1-trifluoro-4-(5-fluoro-2-methoxyphenyl)-4-methylpentan-2-ol;

1-[4-(5-Fluoro-2-methoxyphenyl)-2-hydroxy-4-methyl-2-trifluoromethylpentyl]-1*H*-quinolin-4-one;

1-[4-(5-Fluoro-2-methoxyphenyl)-2-hydroxy-4-methyl-2-trifluoromethylpentyl]-3,5-dimethylpiperidin-4-one;

1-[4-(5-Fluoro-2-methoxyphenyl)-2-hydroxy-4-methyl-2-trifluoromethylpentyl]-3-methyl-1*H*-quinolin-4-one;

1-[4-(5-Fluoro-2-methoxyphenyl)-2-hydroxy-4-methyl-2-trifluoromethylpentyl]-2,3-dihydro-1*H*-quinolin-4-one;

1-[4-(4-Fluorophenyl)-2-hydroxy-4-methyl-2-trifluoromethylpentyl]-1H-quinolin-4-one;

1-[4-(3-Fluorophenyl)-2-hydroxy-4-methyl-2-trifluoromethylpentyl]-1*H*-quinolin-4-one;

- 1-[4-(4-Fluoro-2-hydroxyphenyl)-2-hydroxy-4-methyl-2-trifluoromethylpentyl]-1*H*-quinolin-4-one;
- 1-[4-Phenyl-2-hydroxy-4-methyl-2-trifluoromethylpentyl]-1*H*-quinolin-4-one;
- 1-[4-(5-Fluoro 2,3-dihydrobenzofuran 7-yl) 2-hydroxy 4-methyl 2-trifluoromethylpentyl]-1*H*-quinolin 4-one;
- 1 [4 (5 Bromo 2,3 dihydrobenzofuran 7-yl) 2-hydroxy 4-methyl-2-trifluoromethylpentyl]-1*H*-quinolin-4-one;
- 1-[4 (5 Methyl-2,3 dihydrobenzofuran 7 yl) 2-hydroxy 4-methyl-2-trifluoromethylpentyl]-1*H*-quinolin 4 one;
- 1-[4 (5 Chloro 2,3 dihydrobenzofuran 7-yl) 2-hydroxy 4-methyl 2-trifluoromethylpentyl]-1*H*-quinolin 4-one;
- 1-[4-(2,3-Dihydrobenzofuran 7-yl) 2-hydroxy 4-methyl 2-trifluoromethylpentyl] 1*H*-quinolin 4-one;
- 1-[4-(5-Fluoro-2-hydroxyphenyl)-2-hydroxy-4-methyl-2-trifluoromethylpentyl]-1*H*-[1,5]naphthyridin-4-one;
- 1-[4-(5-Fluoro-2-methoxyphenyl)-2-hydroxy-2,4-dimethylpentyl]-3,5-dimethyl-1<math>H-pyridin-4-one;
- $1-[2-Hydroxy-4-(2-methoxy-5-thiophen-2-ylphenyl)-4-methyl-2-trifluoromethylpentyl]-1 \\ H-quinolin-4-one;$
- 1-[4 (6 Bromobenzo[1,3]dioxol 4-yl) 2 hydroxy 4 methyl-2-trifluoromethylpentyl] 1*H*-quinolin-4-one;
- 1-[4-(5-Fluoro-2-hydroxyphenyl)-2-hydroxy-4-methyl-2-trifluoromethylpentyl]-3-methyl-1*H*-quinolin-4-one;

1-[2-Hydroxy-4-(4-hydroxybiphenyl-3-yl)-4-methyl-2-trifluoromethylpentyl]-1*H*-quinolin-4-one;

1-{4-[5-(3,5-Dimethylisoxazol-4-yl)-2-hydroxyphenyl]-2-hydroxy-4-methyl-2-trifluoromethylpentyl}-1*H*-quinolin-4-one;

1-[2-Hydroxy-4-(2-hydroxy-5-thiophen-3-ylphenyl)-4-methyl-2-trifluoromethylpentyl]-1*H*-quinolin-4-one;

1-{4-[5-(3,5-Dimethylisoxazol-4-yl)-2-methoxyphenyl]-2-hydroxy-4-methyl-2-trifluoromethylpentyl}-1*H*-quinolin-4-one;

1-[2-Hydroxy-4-methyl-4-(3-pyridin-3-ylphenyl)-2-trifluoromethylpentyl]-1*H*-quinolin-4-one;

4-Methoxy-3-[4,4,4-trifluoro-3-hydroxy-1,1-dimethyl-3-(4-oxo-4*H*-quinolin-1-ylmethyl)butyl]benzaldehyde;

1-[2-Hydroxy-4-(2-methoxy-5-thiophen-3-ylphenyl)-4-methyl-2-trifluoromethylpentyl]-1*H*-quinolin-4-one;

1-[4-(5-Furan-3-yl-2-methoxyphenyl)-2-hydroxy-4-methyl-2-trifluoromethylpentyl]-1*H*-quinolin-4-one;

1-[2-Hydroxy-4-(4-methoxybiphenyl-3-yl)-4-methyl-2-trifluoromethylpentyl]-1*H*-quinolin-4-one;

1-[4-(5-Acetyl-2-hydroxyphenyl)-2-hydroxy-4-methyl-2-trifluoromethylpentyl]-1*H*-quinolin-4-one;

1-[3,3,3-Trifluoro 2 (6 fluoro 4 methylchroman 4 ylmethyl) 2-hydroxypropyl] 1*H* quinolin-4-one;

1-(4-{3-[1-(Benzyloxyimino)ethyl]phenyl}-2-hydroxy-4-methyl-2-trifluoromethylpentyl)-1*H*-quinolin-4-one;

1-[4-(5-Acetyl-2-methoxyphenyl)-2-hydroxy-4-methyl-2-trifluoromethylpentyl]-1*H*-quinolin-4-one;

 $1-(2-Hydroxy-4-\{3-[1-(methoxyimino)ethyl]phenyl\}-4-methyl-2-trifluoromethylpentyl)-1 \\ H-quinolin-4-one;$

1-[4-(5-Bromo-2-hydroxyphenyl)-2-hydroxy-4-methyl-2-trifluoromethylpentyl]-1*H*-quinolin-4-one;

 $1-(2-Hydroxy-4-\{3-[1-(hydroxyimino)ethyl]phenyl\}-4-methyl-2-trifluoromethylpentyl)-1$ *H*-quinolin-4-one;

1-[4-(5-Bromo-2-methoxyphenyl)-2-hydroxy-4-methyl-2-trifluoromethylpentyl]-1*H*-quinolin-4-one;

1-[4-(3,5-Difluorophenyl)-2-hydroxy-4-methyl-2-trifluoromethylpentyl]-1*H*-quinolin-4-one;

1-[4-(3,5-Dimethylphenyl)-2-hydroxy-4-methyl-2-trifluoromethylpentyl]-1*H*-quinolin-4-one;

1-{2-Hydroxy-4-methyl-4-[3-(2-methyl-[1,3]dioxolan-2-yl)phenyl]-2-trifluoromethylpentyl}-1*H*-quinolin-4-one;

1-[4 (2,3-Dihydrobenzofuran 7-yl) 2-hydroxy 4-methyl 2-trifluoromethylpentyl] 1*H*-[1,5]naphthyridin-4-one;

1-[4-(3-[1,3]Dioxan-2-ylphenyl)-2-hydroxy-4-methyl-2-trifluoromethylpentyl]-1*H*-quinolin-4-one;

1-{4-[3-(3,5-Dimethylisoxazol-4-yl)phenyl]-2-hydroxy-4-methyl-2-trifluoromethylpentyl}-1*H*-quinolin-4-one;

1-[4 (2,3-Dihydrobenzofuran 7-yl) 2-hydroxy 4-methyl-2-trifluoromethylpentyl] 3,5-dimethyl 1*H* pyridin 4-one;

1-[4-(5-Fluoro-2-methoxyphenyl)-2-hydroxy-4-methyl-2-trifluoromethylpentyl]-2-hydroxymethyl-3,5-dimethyl-1*H*-pyridin-4-one;

1-[4-(5-Fluoro-2-hydroxyphenyl)-2-hydroxy-4-methyl-2-trifluoromethylpentyl]-3-hydroxymethyl-1*H*-quinolin-4-one;

1-[4-(3-Bromophenyl)-2-hydroxy-4-methyl-2-trifluoromethylpentyl]-1*H*-quinolin-4-one;

1-[4-(5-Fluoro-2-methoxyphenyl)-2-hydroxy-4-methyl-2-trifluoromethylpentyl]-6-methyl-1*H*-quinolin-4-one;

6-Chloro-1-[4-(5-fluoro-2-hydroxyphenyl)-2-hydroxy-4-methyl-2-trifluoromethylpentyl]-1*H*-quinolin-4-one;

1-[-4-(2-Difluoromethoxy-5-fluorophenyl)-2-hydroxy-4-methyl-2-trifluoromethylpentyl]-1*H*-quinolin-4-one;

1-(4-Biphenyl-3-yl-2-hydroxy-4-methyl-2-trifluoromethylpentyl)-1*H*-quinolin-4-one;

1-[2-Hydroxy-4-(2-hydroxy-5-methylphenyl)-4-methyl-2-trifluoromethylpentyl]-1*H*-quinolin-4-one;

1-[2-Hydroxy-4-(3-isopropoxyphenyl)-4-methyl-2-trifluoromethylpentyl]-1*H*-quinolin-4-one;

1-[4-(3-Ethoxyphenyl)-2-hydroxy-4-methyl-2-trifluoromethylpentyl]-1*H*-quinolin-4-one;

1-[2-Hydroxy-4-(2-methoxy-5-methylphenyl)-4-methyl-2-trifluoromethylpentyl]-1*H*-quinolin-4-one;

1-[4-(2,5-Dimethylphenyl)-2-hydroxy-4-methyl-2-trifluoromethylpentyl]-1*H*-quinolin-4-one;

1-[2-Hydroxy-4-(3-methoxyphenyl)-4-methyl-2-trifluoromethylpentyl]-1*H*-quinolin-4-one;

1-[4-(5-Fluoro-2-hydroxyphenyl)-2-hydroxy-4-methyl-2-trifluoromethylpentyl]-1,2-dihydroindazol-3-one;

7-Fluoro-1-[4-(5-fluoro-2-hydroxyphenyl)-2-hydroxy-4-methyl-2-trifluoromethylpentyl]-1*H*-quinolin-4-one;

1-[4-(5-Fluoro-2-hydroxyphenyl)-2-hydroxy-4-methyl-2-trifluoromethylpentyl]-3,5-dimethyl-1*H*-pyridin-4-one;

7-Fluoro-1-[4-(5-fluoro-2-methoxyphenyl)-2-hydroxy-4-methyl-2-trifluoromethylpentyl]-1*H*-quinolin-4-one;

 $1\hbox{-}(2\hbox{-Hydroxy-}4\hbox{-methyl-}4\hbox{-phenyl-}2\hbox{-trifluoromethylhexyl})\hbox{-}1H\hbox{-quinolin-}4\hbox{-one};$

1-[4-(4-Fluoro-2-methylphenyl)-2-hydroxy-4-methyl-2-trifluoromethylpentyl]-1H-quinolin-4-one;

1-[4-(3,4-Dimethylphenyl)-2-hydroxy-4-methyl-2-trifluoromethylpentyl]-1*H*-quinolin-4-one;

8-Fluoro-1-[4-(5-fluoro-2-hydroxyphenyl)-2-hydroxy-4-methyl-2-trifluoromethylpentyl]-1*H*-quinolin-4-one;

6-Fluoro-1-[4-(5-fluoro-2-hydroxyphenyl)-2-hydroxy-4-methyl-2-trifluoromethylpentyl]-1*H*-quinolin-4-one;

7-Chloro-1-[4-(5-fluoro-2-hydroxyphenyl)-2-hydroxy-4-methyl-2-trifluoromethylpentyl]-1*H*-quinolin-4-one;

1-[4-(5-Fluoro-2-isopropoxyphenyl)-2-hydroxy-4-methyl-2-trifluoromethylpentyl]-1*H*-quinolin-4-one;

1-[4-(2-Ethoxy-5-fluorophenyl)-2-hydroxy-4-methyl-2-trifluoromethylpentyl]-1*H*-quinolin-4-one;

8-Fluoro-1-[4-(5-fluoro-2-methoxyphenyl)-2-hydroxy-4-methyl-2-trifluoromethylpentyl]-1*H*-quinolin-4-one;

6-Fluoro-1-[4-(5-fluoro-2-methoxyphenyl)-2-hydroxy-4-methyl-2-trifluoromethylpentyl]-1*H*-quinolin-4-one;

1-[2-Hydroxy 4 (5-methanesulfonyl 2,3-dihydrobenzofuran-7-yl) 4-methyl 2-trifluoromethylpentyl] 1*H*-quinolin 4-one;

1-[2-Hydroxy 4-methyl 4 (5-methylsulfanyl 2,3-dihydrobenzofuran 7-yl) 2-trifluoromethylpentyl] 1*H*-quinolin 4-one;

7-Chloro-1-[4-(5-fluoro-2-methoxyphenyl)-2-hydroxy-4-methyl-2-trifluoromethylpentyl]-1*H*-quinolin-4-one;

3-Chloro-1-[4-(5-fluoro-2-methoxyphenyl)-2-hydroxy-4-methyl-2-trifluoromethylpentyl]-5-trifluoromethyl-1*H*-pyridin-2-one;

1-[2-Hydroxy 4-(5-methanesulfonyl-2,3-dihydrobenzofuran-7-yl) 4-methyl-2-trifluoromethylpentyl] 3-methyl-1*H*-quinolin-4-one;

1-[2-Hydroxy-4-(2-methoxy-5-pyridin-3-ylphenyl)-4-methyl-2-trifluoromethylpentyl]-1*H*-quinolin-4-one;

1-[2-Hydroxy-4-(2-hydroxy-3,5-dimethylphenyl)-4-methyl-2-trifluoromethylpentyl]-1 H-quinolin-4-one;

1-[4-(3-[1,3]Dioxan-2-yl-4-fluorophenyl)-2-hydroxy-4-methyl-2-trifluoromethylpentyl]-1*H*-quinolin-4-one;

- $2-(1,1-Dioxo-2,3-dihydro-1H-1\lambda^6-benzo[1,4]$ thiazin-4-ylmethyl)-1,1,1-trifluoro-4-(5-fluoro-2-methoxyphenyl)-4-methylpentan-2-ol;
- 2-(2,3-Dihydrobenzo[1,4]oxazin-4-ylmethyl)-1,1,1-trifluoro-4-(5-fluoro-2-methoxyphenyl)-4-methylpentan-2-ol;
- 1-[4-(5-Fluoro-2-hydroxyphenyl)-2-hydroxy-4-methyl-2-trifluoromethylpentyl]-1*H*-quinolin-4-one;
- 1-[4-(5-Fluoro-2-hydroxyphenyl)-2-hydroxy-4-methyl-2-trifluoromethylpentyl]-1*H*-[1,5]naphthyridin-4-one;
- 1-[4-(5-Fluoro-2-methylphenyl)-2-hydroxy-4-methyl-2-trifluoromethylpentyl]-1*H*-quinolin-4-one;
- 1-[4-(2,4-dimethylphenyl)-2-hydroxy-4-methyl-2-trifluoromethylpentyl]-1*H*-quinolin-4-one;
- 1-[4-(4-Fluoro-2-methoxyphenyl)-2-hydroxy-4-methyl-2-trifluoromethylpentyl]-1*H*-quinolin-4-one;
- 1-[4-(3-Fluoro-4-methoxyphenyl)-2-hydroxy-4-methyl-2-trifluoromethylpentyl]-1*H*-quinolin-4-one;
- 1 (4 Benzo[1,3]dioxol 4 yl 2 hydroxy 4 methyl 2 trifluoromethylpentyl) 1*H* quinolin 4 one;
- 1-[4-(5-Fluoro-2-methoxyphenyl)-2-hydroxy-4-methyl-2-trifluoromethylpentyl]-1, 2-dihydroindazol-3-one;
- 1,1,1-Trifluoro-4-(5-fluoro-2-methoxyphenyl)-4-methyl-2-(1-oxo-2,3-dihydro-1H-1 λ^4 -benzo[1,4]thiazin-4-ylmethyl)pentan-2-ol;
- 1-[4-(5-Fluoro-2-methoxyphenyl)-2-hydroxy-4-methyl-2-trifluoromethylpentyl]-2-hydroxymethyl-3,5-dimethyl-1*H*-pyridin-4-one;

1-[4 (2,3-Dihydrobenzofuran 7 yl) 2 hydroxy 4 methyl 2 trifluoromethylpentyl] 3 methyl-1*H*-quinolin 4 one;

1-[2-Hydroxy-4-(2-methoxy-3,5-dimethylphenyl)-4-methyl-2-trifluoromethylpentyl]-1*H*-quinolin-4-one;

1-[2-Hydroxy-4-(2-hydroxy-5-pyridin-3-ylphenyl)-4-methyl-2-trifluoromethylpentyl]-1*H*-quinolin-4-one; and

1-[2-Hydroxy-4-(2-hydroxy-5-pyrimidin-5-ylphenyl)-4-methyl-2-trifluoromethylpentyl]-1*H*-quinolin-4-one,

or a tautomer, prodrug, solvate, or salt thereof.

8. (previously amended) A pharmaceutical composition comprising an effective amount of a compound according to one of claims 1 to 7, or a tautomer, prodrug, solvate, or salt thereof, and a pharmaceutically acceptable excipient or carrier.

9. to 28. (cancelled)